

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.


- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Visit our website - *Click HERE*

REV	ECO	DWN	DATE
B	20128767	LS	13-DEC-02
C	20131684	LS	28-FEB-03



REAR VIEW ROTATED
(COVER IS NOT SHOWN)





NOTES:

1. A COPY OF THIS INSTALLATION DRAWING IS INCLUDED WITH UNIT.
2. CHECK APPROPRIATE INPUT VOLTAGE BOX ON THE VOLTAGE LABEL THAT IS PROVIDED THEN AFFIX ON PANEL.
3. RACK MOUNTING HARDWARE INCLUDED WITH UNIT. MOUNTING BRACKET MAY BE MOUNTED TO 1" AND 1.25" SPACE AND FLUSH, 1, 2, 3, AND 4" RECESSED AS REQUIRED.
4. INSTALLER TO INSTALL DESIGNATION STRIP AND COLOR FUSE DESIGNATION PINS BELOW FUSE POSITIONS.
5. SNAP IN PROTECTIVE COVER AFTER MAKING CONNECTIONS
6. BARRIER POWER: TERMINAL STRIPS: 6-32 SCREWS. USE PRESSURE CONNECTION WITH AWG 12 TO 22 GAUGE WIRE. MAXIMUM TERMINAL WIDTH IS .325 IN. APPLY TORQUE 12 LB-IN ± 1.0 LB-IN
7. INPUT TERMINALS: #6 AWG LUGS TERMINALS PROVIDED.
8. USE TWO #10 AWG LUG TERMINAL PROVIDED. APPLY TORQUE 15 LB-IN ± 2.0 LB-IN
9. TO REPLACE LED: PULL OUT LED SLOWLY, DISCONNECT QUICK CONNECT AND REPLACE WITH NEW LED (CONNECT RED WIRE TO TIN TAB AND BLACK WIRE TO BRASS TAB). PUSH LED BACK INTO THE PANEL.
10. APPLY TORQUE 32 LB-IN ± 2.0 LB-IN
11. BARRIER POWER: TERMINAL STRIP 6-32 SCREW MAXIMUM TERMINAL WIDTH IS .325 IN APPLY TORQUE 15 LB-IN 2.0 LB-IN.

DESCRIPTION	CATALOG #
10-10 DUAL FEED BLACK	PWX-001RGCSD10PSDB
10-10 DUAL FEED PUTTY	PWX-001RGCSD10PSDP

INFORMATION ON THIS DOCUMENT IS PROPRIETARY TO ADC AND SHALL NOT BE USED, COPIED, REPRODUCED OR DISCLOSED IN WHOLE OR IN PART WITHOUT WRITTEN CONSENT OF ADC.

TITLE: 10-10 DUAL FEED INST DRW

ALL DIMS AND TOLERANCES ARE INCHES UNLESS OTHERWISE SPECIFIED .XX:±N/A .XXX:±N/A ANGULAR:±N/A

SIZE: C

DRAWING NUMBER: 1248128

REV: C

DO NOT SCALE DRAWING


ENGR: LUIS SANCHEZ

DWN: SERGIO CARDOZA

SHT. 1 OF 2

DIMENSIONS IN INCHES
THIRD ANGLE PROJECTION

Artisan Scientific - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-scientific.com



REFERENCE SCHEMATIC

INFORMATION ON THIS DOCUMENT IS PROPRIETARY TO ADC AND SHALL NOT BE USED, COPIED, REPRODUCED OR DISCLOSED IN WHOLE OR IN PART WITHOUT WRITTEN CONSENT OF ADC.	TITLE: 10-10 DUAL FEED INST DRW		
ALL DIMS AND TOLERANCES ARE INCHES UNLESS OTHERWISE SPECIFIED .XX:±N/A .XXX:±N/A ANGULAR:±N/A	C SIZE	DRAWING NUMBER 1248128	C REV
DO NOT SCALE DRAWING	ENGR: LUIS SANCHEZ DWN: SERGIO CARDOZA	SHT. 2 OF 2	

DIMENSIONS IN INCHES
THIRD ANGLE PROJECTION

Artisan Scientific - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-scientific.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP