



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



INSTALLATION OF THE VMIVME-7453 VMEbus FLOPPY/HARD DISK MODULE

The VMIVME-7453 is designed to be used in conjunction with the VMIVME-7588 Pentium® microprocessor-based VMEbus CPU with 100-Mbit Ethernet and Wide SCSI or the VMIVME-7686 Pentium® Pro microprocessor-based VMEbus CPU. Use the following procedure to install the VMIVME-7453 to the VMIVME-7588 or the VMIVME-7686. Use connector cable 360-000106-026 to attach the VMIVME-7453 to the CPU boards.

WARNING

DO NOT POWER UP THE VMIVME-7453 WITHOUT IT BEING CONNECTED TO THE CPU BOARD. THIS WILL CAUSE THE LOSS OF ANY CONFIGURATION ON THE VMIVME-7453 HARD DISK.

PROCEDURE

1. Slide the VMIVME-7453 into the VMEbus chassis card guide
2. Place the CPU board, component side up, on a flat surface.
3. Attach the 360-000160-026 cable assembly to the CPU board by completing the following two steps (See Figure 1).
 - a. Connect the 34-pin female floppy drive side of the cable to the 34-pin male connector on the CPU board.
 - b. Connect the 40-pin female hard drive side of the cable to the 40-pin male connector on the CPU board.
4. Slide the CPU board into the chassis.
5. Attach cable to the VMIVME-7453 front panel as shown in Figure 2.




Figure 1. Connecting the Cable Assembly to the CPU




Figure 2. Connecting the CPU to the VMIVME-7453



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com