



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)



# IP-OCTAL-422

## IndustryPack® with eight EIA-422 asynchronous serial ports

---

### Features

- Eight EIA-422 ports on a single-wide IndustryPack
- Three-level FIFOs on all receivers
- Support for RXD+, RXD-, TXD+, and TXD-, and GND on each channel
- Eight general-purpose inputs
- Programmable baud rates in 18 steps up to 38.4 kbps
- Four 16-bit timers
- Configurable for DMA on two channels

The IP-OCTAL-422 IndustryPack module implements eight EIA-422 asynchronous serial ports, each with RXD and TXD balanced pair signals. In addition, eight general-purpose input lines are provided with TTL switching levels.

Serial ports are implemented with the Signetics SCC2698B octal UART. Each channel has a three-character FIFO on its receiver to allow longer interrupt servicing latencies. Eighteen programmable baud rates up to 38.4 kbps, and programmable bit length, parity, and stop bits are supported.

Four independent 16-bit timers are provided. The IndustryPack Strobe\* pin may be used as a clock input or output depending on the setting of user shunts. Two serial channels may be configured for DMA use.

## Specifications

Form Factor	Single-wide Type I IndustryPack
IndustryPack Interface	Complies with ANSI/VITA-4 DMA supported on two serial ports
Number of Async Serial Ports	Eight
Signals Supported	RXD+, RXD-, TXD+, TXD-, GND
General-Purpose Inputs	Eight, TTL level
UART	Signetics SCC2698B
Baud Rates	Programmable in 18 steps to 34.8 kbps
Stop Bits	Programmable in 1/16 bit increments from 0 to 2
Receiver FIFO	3 characters
Transmitter FIFO	None
Timers	Four, independent, 16 bit
Interrupts	32 sources, maskable, vectored
Dimensions	1.8 inches x 3.9 inches
Weight	0.06 kg (0.1 lb)
Power Requirements	+5 VDC, 285 mA typ
Environmental	Operating temperature: 0° to +50°C Humidity: 5% to 95% non-condensing Storage: -40° to +85°C

Note: If the interrupt vector is to be used, this product occupies IndustryPack memory space if the carrier it is plugged into does not permit writes into ID PROM space. This situation applies to the MVME162.

## Order Information

IP-OCTAL-422	IndustryPack with eight EIA-422 asynchronous serial ports
XM-OCTAL	19" rack-mountable 16 serial port transition module with DB9 females
XM-OCTAL-6U-D	6U-mountable front panel transition module with eight 25D females
XM-OCTAL-6U-RJ8	6U-mountable front panel transition module with eight RJ45s
XM-OCTAL6URJ16	6U-mountable front panel transition module with sixteen RJ11s
C-HD50M-CM50M	Six foot Champ50 male to HD50 male cable
IP-TERM	50 screw terminal block with ribbon cable female connector
IP-TERM-HD50	50 screw terminal block with HD50 female connector

---

### Corporate Headquarters

2400 Louisiana Blvd. NE, #5-600  
Albuquerque, NM 87110-4316  
Tel 505.875.0600 Fax 505.875.0400  
Email [info@sbs.com](mailto:info@sbs.com)

### European Headquarters

Memminger Str. 14  
D-86159 Augsburg, Germany  
Tel +49-821-5034-0 Fax +49-821-5034-119  
Email [aug-info@sbs.com](mailto:aug-info@sbs.com)

Specifications subject to change without notice. All trademarks and logos are property of their respective owners.  
©2005 SBS Technologies, Inc. 20050509  
For additional contact information, please visit our web site at [www.sbs.com](http://www.sbs.com)





## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)