



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



Technical Specifications - Electronic von Frey

Transducer (Model 735): The transducer is built around a highly sensitive and compact sensor element housed in a stainless steel tube. This gives a very sturdy transducer with high sensitivity, rapid reaction time and minimal movement artefacts.

To the transducer, any of the von Frey probe tips can be mounted. The probe tips are similar in size to the conventional von Frey filaments, but contrary to the von Frey filaments, they shall not buckle. Instead they shall transfer the application force to the transducer with minimal mechanical deformation of the probe. Thus during the application, the contact area remains the same. For a normal von Frey hair, the buckling of the hair can change the contact area significantly, not only in size, but also from a flat tip to a sharp edge. This change in sensation, with the conventional von Frey filaments, is avoided with the electronic von Frey transducer.

To avoid buckling, only the outermost 3 to 5 mm of the probe tips are similar in diameter to the von Frey filament, the rest of the probe tips is constructed from stainless steel tubing, with constant diameter. To further avoid buckling, the material in the outermost part of the probe tip can also be made of stainless steel, instead of a nylon monofilament.

This type of electronic von Frey transducer is usually superior in most types of animal studies and the only choice where information about timing and intensity of the stimulus is required. But one aspect of the rigidity of the probe tip has to be considered. To access the lowest of the touch perception thresholds in humans, the flexibility of the conventional von Frey filament is required to smooth out the vibration and tremor in the hand of the investigator. Thus the electronic von Frey is not recommended for use below 0,1 to 1 gram, depending on the stability of the investigators hand.

Manufacturing details for the SOMEDIC Electronic von Frey are as follows:

Transducer capacity:	0.1 - 1000 gram (approx. 1 mN to 10 N)
Reaction time:	1 ms.
Temperature range:	10-50 °C
Cable connector:	6-pole male Mini-DIN.
Cable length:	2 meters
Probe tip diameter:	Standard 0.1, 0.2, 0.3, 0.5 and 1.0 mm.

Probe tip length:	Standard 40 mm, with outermost 3 - 5 mm of the selected probe tip diameter.
Probe tip material:	Nylon monofilament, similar to standard vonFrey hairs, or stainless steel.
Transducer materials:	Stainless steel outer case, with ends and filament holder in aluminium.
Transducer dimensions:	160*17 (length * diameter) mm.
Weight:	185 gram (+0.23 gram for a probe tip with 1.0 mm nylon monofilament)

Last changed by [Gunilla Nilsson](#) (2005-03-14 13:43:41)

(c) 2002 [NOD](#) and Somedic Sales AB



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com