



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

IPIN 1700

Intelligent Serial IPIN



Picture

Produkt-Bild

IPIN 1700

Equipped with its own 68000 processor the IPIN 1700 can handle all the serial communication functions without loading the host CPU on the motherboard. It is therefore the ideal basis for communication, applications, e.g. ISDN, X25, etc.

Features

- ☐ MC68302 (16 MHz) intelligent serial communications processor with level four interrupt capabilities
- ☐ Three independent full duplex serial communications controllers (SCCs) supporting various protocols such as transparent mode BISYNCH, HDLC/SDLC, DDCMP
- ☐ Capability of all ISDN basic rates with SCC1
- ☐ All SCCs are fully supported with data by six DMA channels
- ☐ Flexible physical interface accessible by SCCs including:
 - Motorola Interchip Digital Link (IDL)
 - General Circuit Interface GCI/ IOM- 2
 - Pulse Code Modulation (PCM)
 - Standard Modem Signals (NMSI)
- ☐ SCP for synchronous communication
- ☐ Two serial management controllers (SMCs) to support IDL and GCI auxiliary channels
- ☐ Each SCC can use up to 8 x 64 KByte buffer
- ☐ General purpose timer and a watchdog
- ☐ 68000 CPU, 16 MHz clocked, able to send a vectored IRQ to the masterboard. RESET and HALT controlled by the masterboard
- ☐ TTL interface for all communication signals. An external converter board (TRM) can be used to connect the IPIN to different applications on RS232 or RS422 or RS485 signal levels

Description

.pdf Data-Sheet 

Related Products

Related Products

[\[EUROCOM 16\]](#) [\[EUROCOM 17\]](#) [\[EUROCOM 27\]](#) [\[IPCA 200\]](#) [\[BAB- Extension\]](#) [\[IBAM 30\]](#)

Operating Systems/ Software:

please contact eltec



created by hreith@eltec.de

© © 1998 ELTEC (last update : 07/17/2015 08:55:49)



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com