



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



Kelvinator 
SCIENTIFIC

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisanTG.com

Undercounter Refrigerators & Freezers

BT650



Standard Features:

- Manual defrost
- Lockable door
- 1 1/8 non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT650
Capacity: (cu. Ft.)	5.3 (R) / 0.7 (F)
(litres)	150 (R) / 20 (F)
Temperature Range:	0°C/13°F (R), -12°C/+10°F (F)
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	25 1/4 x 21 x 20 1/2
(cm)	64 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8"
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Undercounter Refrigerators & Freezers

BT660



Standard Features:

- Cycle defrost
- Lockable door
- 1 1/8" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT660
Capacity: (cu. Ft.)	6.1
(litres)	172.8
Temperature Range:	.6°C to 7.2°C, 33°F to 45°F
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	28 x 21 x 20
(cm)	72 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Cycle
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Undercounter Refrigerators & Freezers

BT680



Standard Features:

- Manual defrost
- Lockable door
- 1 1/8" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT680
Capacity: (cu. Ft.)	6.1
(litres)	172.8
Temperature Range:	-6.7°C to -12°C, +20°F to +10°F
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	28 x 21 x 20
(cm)	71 x 53 x 52
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	1 1/8" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Undercounter Refrigerators & Freezers

BT450



Standard Features:

- Manual defrost
- Lockable door
- 2 1/2" non-CFC foam insulation
- 2 each shelves

Optional Accessories:

- Alarm system with port
- Lockable casters

Model:	BT450
Capacity: (cu. Ft.)	4.5
(litres)	127.5
Temperature Range:	-20°C to -23°C, 5°F to -10°F
Exterior: (in.) HWD	34 1/2 x 23 7/8 x 23 3/4
(cm)	88 x 61 x 60
Interior: (in.) HWD	24 x 18 3/4 x 18
(cm)	61 x 47.6 x 45.7
Doors: Keylock	Solid single
Legs:	Glides
Shelves:	2 shelves
Interior Lighting:	None
Insulation: Urethane	2 1/2" foam
Refrigerant:	R-134A
Compressor:	1/10 hp
Condenser:	Fin and tube, forced air
Air Circulation:	Gravity
Refrigerant Control:	Capillary tube
Evaporator:	Plate and tube
Thermostat:	Adjustable
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	230/50/1
Running Amps:	3.3
Supply Plug:	5-15 NEMA
Shipping: Cubic Ft.	14.5
Weight: (lbs.) Domestic	120
International:	160

Undercounter Refrigerators & Freezers

BT1.5FS



Standard Features:

- Manual defrost
- Lockable door
- 1 1/4" non-CFC foam insulation

Optional Accessories:

- Alarm system with port

Model:	BT1.5FS
Capacity: (cu. Ft.)	1.5
(litres)	42.5
Temperature Range:	-20°C (-4°F)
Exterior: (in.) HWD	24 1/4 x 14 7/8 x 22 1/8
(cm)	62 x 38 x 52
Interior: (in.) HWD	12 x 11 1/4 x 17 5/8
(cm)	30 x 29 x 45
Doors: Keylock	1 each with lock
Legs:	None
Shelves:	None
Interior Lighting:	None
Insulation: Urethane	1 1/4" foam
Refrigerant:	R-134A
Compressor:	Bottom-mounted / 457 BTU
Condenser:	Fin and tube, forced air
Air Circulation:	Natural convection evaporator / fan forced air condenser
Refrigerant Control:	Fixed capillary tube
Evaporator:	Aluminum plate type
Thermostat:	Mechanical vapor pressure
Defrost:	Manual
Voltage: Domestic	115/60/1
Export	Not available
Running Amps:	3.3
Supply Plug:	NEMA-5
Shipping: Cubic Ft.	6.6
Weight: (lbs.) Domestic	110
International:	Not available



563 Corbin Road • Honea Path, SC 29654 • 800-486-8369 • Fax: 864-369-1668 • www.kelvinator.us

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisanTG.com



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com