



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗


### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)



### Features

- 32 and 64-bit PCI Bus compatibility
- Test Points and Power LEDs
- Optional VME P2 connector
- PCI/PMC JTAG port connector

### Applications

- Eases debugging of PMC boards
- Enables use of low cost PCs for PMC development
- Ideal for deploying CWCEC PMC graphics solutions

# The PMA-P

The PMA-P is a single slot PMC-to-PCI adapter board. It enables any 32-bit or 64-bit PMC (PCI Mezzanine Card) module to be plugged into a standard PCI slot.

The PMA-P is designed to function as a transparent extension to the PCI bus. As such, it is a passive adapter board and has no PCI-to-PCI bridge. The carrier's PCI bus is connected directly to the PMC card's PCI bus. Great care was taken to ensure signal integrity, impedance control, low noise, and matched PCI trace length.

The PMA-P provides the full 64-bit interconnect between the PCI edge connector and the PMC's connector set. Jumpers can be installed to enable 66 MHz mode, and to set PCI PRSNT and PMC BUSMODE.

Separate power planes are provided for +5V and ground. Bypass capacitors are located at regular intervals across the board and at all PMC and PCI power pins, including +12V, -12V, +5V, +3.3V, and VIO.

To aid in debugging, the PMA-P has Test Point pins and LED indicators for BUSMODE1, +12V, -12V, +5V, +3.3V and VIO. It also has a connector for the JTAG port. PMC Index Pin holes are provided for both

3.3V and 5V PMC signaling pins so that the PMA-P can be configured for either bus environment.

As the PMA-P does extend the length of the PCI bus, Peritek recommends that users place the board at the end of the computer's local bus, and deploy a single PMA-P card per system.

An optional VME P2-type connector can be included which "breaks out" the User I/O signals on the PMC J4 connector.

Although it is a passive addition to the PCI bus, the PMA-P does provide optional local 3.3V generation because many PCI bus machines do not supply it.

Rastergraf also makes an active (bridged) dual-PMC site CompactPCI product, the PMB-CPMC-to-CompactPCI adapter. Also available are passive (bridgeless) single PMC slot PCI (PMA-P) and CompactPCI (PMA-C) boards. Please check our web site for more information: <http://www.rastergraf.com>.

## Product Specifications

<b>Form Factor</b>	Single slot PCI
<b>PCI Compatibility</b>	Revision 2.2, 33/66 MHz, 32/64 bit PCI
<b>PMC Compatibility</b>	IEEE 1386-2001. Universal signaling (3.3V or 5V VIO)
<b>PMC Connectors</b>	J1-J4
<b>Pn4 to "VME P2" Connector</b>	optional
<b>Environment</b>	Operating temperature: 0°C to 70°C Storage temperature: -40°C to +85°C Humidity: 5% - 95% non-condensing

## Ordering Information

### Standard Configurations:

#### **PMA-P**

Single-slot PMC-to-PCI adapter board, PMC connectors, JTAG connector, indicator LEDs.

#### **PMA-P/P2**

Single-slot PMC-to-PCI adapter board, VMEbus P2-style connector with PMC J4 user I/O connections, JTAG connector, indicator LEDs.

### Important Notices:

Trademarks are property of their respective owners.

The PMA-P is manufactured and sold under license from Curtiss-Wright Controls Embedded Computing. Contact Rastergraf, Inc. for additional information.

[www.rastergraf.com](http://www.rastergraf.com)

### **Rastergraf, Inc.**

1804-P SE First Street  
Redmond, Oregon 97756  
tel: +1 (541) 923-5530  
fax: +1 (541) 923-6475  
email: [sales@rastergraf.com](mailto:sales@rastergraf.com)

030408



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)