



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Erbium Broadband Source

EBS-4022



An extremely stable, flattened broadband source delivering 22 dBm in a 40-nm wide spectrum spanning the whole C band

- ASE spectral-shaping scheme flattens the output to 1 dB from 1527 to 1567 nm
- very high power provides an unsurpassed, uniform dynamic range for the characterization of passive optical components such as array waveguides
- average power-spectral density equal to laser comb's ... less the fluctuations

Applications

- Wide-dynamic-range characterization of components such as AWGs and FBGs
- Alternative to multiple DFB lasers and multiplexer in telecommunications test sets
- Accurate gain-spectrum measurement of EDFAs with spectral-hole burning included
- Local networking using spectral slicing or optical code-division multiplexing
- PMD measurements of long-span fiber links
- Fiber sensing
- Gyroscopes
- White-light interferometry



MPB Communications Inc.

S

pecifications



EBS-4022

Optical Specifications

Total Output Power:	22 dBm typ., ≥ 21.5 dBm
Spectral Width	
at 3 dB:	≥ 40 nm
at 20 dB:	58 nm typ.
Ripple:	≤ 1.5 dB over ≥ 38 nm (1dB typ.)
Stability (after 30-min warm up):	± 10 mdB / hr (5 mdB/hr typ.)
State of Polarization:	Unpolarized
Optical Isolation (output):	≥ 42 dB over bandwidth
Output Connector:	E-2000 APC mechanically-shuttered connector (other connectors available as option.)
Optical Safety Classification:	Class 3 B

Other Specifications

Dimensions (W x H x L):	21.5 cm x 9.0 cm x 42.5 cm
Weight:	4 kg
Communication:	RS-232 (optional)
Line Voltage:	90 ~ 240 VAC 50 ~ 60 Hz
Maximum Power Consumption:	27 W
Storage Temperature Range:	-40°C ~ $+85^{\circ}\text{C}$
Operating Temperature Range:	0° ~ $+40^{\circ}\text{C}$



Specifications subject to change without notice.



Typical power-density spectrum of the EBS-4022 Er³⁺ Broadband Source, as measured with an optical spectrum analyzer using a resolution bandwidth of 1 nm.



MPB Communications Inc.
147 Hymus Boulevard
Pointe-Claire, Quebec
Canada H9R 1E9

www.mpbcommunications.com
email: info@mpbc.ca
telephone: 1-514-694-8751
fax: 1-514-694-6869



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com