



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?


Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)


# Pro 150ES & 600ES

## 1.5 & 5.8 Million Pixel Digital Camera Systems


Windows® & Mac® OS




Brightfield




DAPI, niba  
Fluorescence



Integrated Circuit Wafer  
Darkfield



Integrated Circuit Wafer  
Brightfield



15fps Color Viewfinder (640x480 pixels), Studio and Level Adjustment

**1.5 Million Pixels** - Pro 150ES (0 Defect CCD)  
**5.8 Million Pixels<sup>1)</sup>** - Pro 600ES (0 Defect CCD)  
**Sensitivity, 0.05lux**  
**High Signal-to-Noise Ratio: 62dB**  
**Up to 15fps Color Viewfinder (640x480)**  
**24/48 bit RGB True Color Imaging**  
**Fluorescence**  
**Long Integration Exposure Up to 64min**  
**Live Specimen Capture @ 1.5M Pixels**

<sup>1)</sup> 5.8 million pixels is achieved by patented DiRactor™ technology.

### Applications:

- Fluorescence
- Darkfield Transmitted/Reflected
- Brightfield Transmitted/Reflected
- Polarized Light
- Phase Contrast
- DIC / Nomarski Transmitted/Reflected
- Hoffman Modulation
- Gel Documentation
- Materials Science

### Pro 150ES & Pro 600ES - Digital Camera Systems

The Pro 150ES & Pro 600ES offers the most versatile price performance solutions for microscopy imaging in Pixera's product range. Both systems will provide you with a very high image quality, true color 24/48bit RGB, excellent sensitivity and dynamic range, and when you need the absolute highest image quality and resolution for archiving, digital zoom in and publishing, the Pro 600ES with maximum resolution of 5.8 million pixels is your best choice. A 24-bit, 5.8 million pixel capture produces a 17.3MB file size, uncompressed. Utilizing the advanced frame averaging and integration functions, the system will enable you to capture fluorescence and darkfield images with reduced thermal noise

Unlike other digital camera systems which increase resolution using software interpolation, the Pro 600ES allows for a true optical resolution of 5.8 million pixels using Pixera's proprietary DiRactor™, light-swinging opto mechanical technology. The Pro 150ES offers you up to 1.5 million pixels.

Both systems feature a fast 15 frames per second color viewfinder with a numerical alignment indicator that makes it simple to focus. All of Pro 600ES & Pro 150ES pre-exposure default settings are adjustable via easy controls and indicators in the Viewfinder including unlimited saving of prior capture settings for future use.

Either camera system is a productivity tool and offers the highest image quality and user friendly controls.

### Pixera Corporation (USA/International)

Tel: (1) 408 341 1800, Tollfree: 1-888-474-9372  
 Fax: (1) 408 341 1818  
 sales@pixera.com  
 www.pixera.com

### Pixera UK Ltd (Europe)

Tel: +44 (0) 118 931 9635  
 Fax: +44 (0) 118 931 9636  
 eusales@pixera.com

### Pixera Japan (Japan)

Tel: +81 44 850 2800  
 Fax: +81 44 850 2868  
 jpsales@pixera.com

### Camera System Features

- Resolutions:  
 Pro 600ES: 2776x2074, 1392x1040, 640x480  
 Pro 150ES: 1392x1040, 640x480
- Image Sensor: 1/2", 0 defect, 1.5M pixel Color CCD
- Sensitivity: 0.05Lux
- S/N Ratio: 62dB
- Dynamic Range: 60dB
- Color Depth: 24 or 48 bit RGB
- Image Processing Speed\*: 5-20 sec
- Viewfinder\*\*\*: Up to 15 fps @ 640 x 480 pixels
- Long Integration Exposure, up to 64 min
- Sensitivity: ISO 50/100/200/400
- Save & Preload Prior Image Capture Settings
- RGB Color Specific Enhancement
- Spot Detection (Variable size and location)

### Image Formats

- BMP, JPEG, TIFF, PICT, Flash Pix

### Penguin/Pro Application Suite

- Windows®:
- Pixera Viewfinder
  - Pixera Studio
  - TWAIN Viewfinder
- Mac® OS:
- Pixera Studio
  - Adobe® Photoshop® Plug-In

**Options** See separate datasheets for these items.

- Penguin/Pro-HS: Hand Switch (Remote Image Capture)
- Penguin/Pro-FS: Foot Switch (Hands Free Image Capture)
- Penguin/Pro-CS: Camera Switch
- Penguin/Pro-LC: L-Shaped Connector

### System Requirements

- Windows® 95/98/Me/NT/2000/XP
- Mac® OS 9.0-9.2.x
- Interface: PCI slot for desktop PC
- CPU (Windows®): 300MHz or faster
- CPU (Mac® OS): Blue/White G3 or later
- RAM (Windows®): 128MB or more
- RAM (Mac® OS): 256MB or more
- HDD: 100MB of free space or more
- Monitor: 1024 x 768 pixels or more
- Color: 16 bits, 24bits or more recommended

\* Including the processing time to display

\*\* Maximum frame rate is system dependent

\*\*\* Maximum exposure time



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)