

INTERNET ARCHIVE
Wayback Machine

http://dy4.com/products/NetworkComm/PMC-642A1.htm Go

12 captures
17 Apr 00 - 1 May 01

DEC FEB APR Close
2000 2001 2002 Help

DY 4 SYSTEMS INC.

Home What's New **WORKatDY4** Partners Contact Us

Products Integration Experience Support Investor Info



[Data Sheet \(.pdf\)](#)

Quick Links

Search DY 4

[Advanced Search](#)

► PMC-642A1 Fibre Channel Network Interface Card

Integrated with the SVM-179 PowerPC™-based single board computer (SBC) and the CHAMP family of digital signal processors, the PMC-642A1 Gigabit/second Fibre Channel Network Interface Card (NIC) provides a unique high-speed network solution for mission-critical systems.

The PMC-642A1 provides the first implementation of the industry standard, light weight, high performance Virtual Interface (VI) Architecture protocol with the VxWorks® real-time operating system. It also provides the first board-level solution for rugged Fibre Channel networking for harsh environment based computing. This combination of high-speed networking, lightweight protocol and rugged hardware makes PMC-642A1 the ideal mission-critical network solution.

FEATURES:

- PowerPC™ and Pentium®-based processor boards integrated with Fibre Channel NIC
- Full speed (1.0625 Gbit/sec) ANSI Standard Fibre Channel
- First implementation of Virtual Interface Architecture with an RTOS
- Support for multiple simultaneous protocols including Virtual Interface Architecture (FC-VI) and SCSI with VxWorks®
- Class 3 Fibre Channel Services
- Arbitrated Loop (FC-AL2), Switched Fabric, and Point-to-Point topologies
- Protocol-independent Management Interface
- Designed for harsh environment applications
- 64-bit/33 MHz PCI (Standard 2.1)
- Transformer coupled electrical interface

Complete specifications for all products can be found in our catalog, which you can obtain by making a [literature request](#).

[Back to Top](#)

© 2000 DY 4 Systems Inc.

Fax: (613) 599-7777
Phone: (613) 599-9191

Email: sales@dy4.com
Contact [webmaster](#)