



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT


Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

IP-EP200 JTAG-Reconfigurable Cyclone™ II FPGA Digital I/O Modules



These modules support adaptive computing applications with an FPGA running custom programs to control system communication.

This series of plug-in mezzanine modules provides a user-customizable Altera® Cyclone II FPGA on an Industry Pack (IP) module. The module allows users to develop and store their own instruction set in the FPGA for adaptive computing applications. Typical uses include specialized communication systems over RS422/485 networks, test fixture simulation of signals over TTL-switched lines, and analysis of acquired data using specialized mathematical formulas such as those developed with MathWorks's MatLab™ software.

The FPGA on Acromag's IP-EP200 modules can control up to 48 TTL or 24 RS485 I/O signals or a mix of both types. Another model interfaces 24 LVDS I/O channels. User application programs are downloaded through the JTAG port or via the IP bus directly into the FPGA. A pre-programmed internal CPLD facilitates initialization by acting as the bus controller during power-up and while the program is downloading. This bus controller is limited to functions necessary for power-up and downloading. After the program downloads, the FPGA takes control of the IP bus and the CPLD disables.

Features

- Altera Cyclone II EP2K10K10 FPGA
- Four models available:
 - IP-EP201: 48 TTL I/O lines
 - IP-EP202: 24 differential RS485 I/O lines
 - IP-EP203: 24 TTL and 12 RS485 I/O lines
 - IP-EP204: 24 LVDS I/O lines
- FPGA programmable via JTAG port or IP bus
- Local static RAM (64K x 16) under FPGA control
- LVTTTL external clock connected directly to the FPGA
- Supports 8MHz and 32MHz IP bus
- Programmable PLL-based clock synthesizer
- Example FPGA design code provided as VHDL
 - 8MHz IP bus interface
 - Digital I/O control register
 - others
- Hardware support for DMA and memory space

Specifications

FPGA

- FPGA: Altera Cyclone II EP2K10K10
- FPGA configuration: Downloadable via JTAG port or IP bus.
- Clock: Cypress CY22150 (or equivalent).
Generates frequencies from 250kHz to 100MHz
- Input/output signals:
 - IP-EP201: 48 TTL lines
 - IP-EP202: 24 differential RS485 lines
 - IP-EP203: 24 TTL lines and 12 RS485
 - IP-EP204: 24 LVDS lines
 - All models: LVTTTL external clock input
- IP bus clock frequency: Supports 8 and 32MHz clocks.
- ID space: 8-bit data.
- I/O space: 8 or 16-bit data.
- Memory space: Wired to FPGA but not supported with example FPGA design firmware.
- Interrupt support: Two IP request levels.
- DMA support: Wired to FPGA but not supported with example FPGA design firmware.
- IP logic interface: CPLD maintains ID space and two locations in IO space for FPGA configuration. Remaining IO space and INT space are defined by the configured FPGA.
- Example FPGA program: VHDL provided implements IP bus interface to IO, ID, and INT space. Requires user proficiency with VHDL and Altera Quartus™ II software tools. See Engineering Design Kit.

IP Compliance (ANSI/VITA 4)

- Meets IP specifications per ANSI/VITA 4-1995.
- IP data transfer cycle types supported: Input/output (IOSel*), ID read (IDSel*), Interrupt select (INTSel*).
- Access times (8MHz or 32MHz clock):
 - ID space read: 1 wait state (375nS cycle @ 8MHz).
 - Registers read/write: 1 wait state (375nS cycle @ 8MHz).
 - Interrupt read/write: 1 wait state (375nS cycle @ 8MHz).

Environmental

- Operating temperature: 0 to 70°C or -40 to 85°C (E models).
- Storage temperature: -55 to 125°C.
- Relative humidity: 5 to 95% non-condensing.
- MTBF: Consult factory.

Engineering Design Kit

Engineering Design Kit: Provides user with basic information required to develop a custom FPGA program for download to the Altera FPGA. This kit must be ordered with the first purchase of an IP-EP200 module. Kit on CD-ROM includes:

- Schematics (.pdf)
- Parts list and part location drawing (.pdf)
- Example VHDL source file (.vhd)
- Example assignments file (.qsf)
- Example configuration file (.hex)
- Programming guide (.pdf)

Only one Design Kit purchase is required. User should be fluent in use of Altera Quartus design tools. Additionally, user should also purchase either the IPSW-API-VXW (VxWorks source code library) or the IPSW-API-WIN (Windows DLL driver package). These programs include important driver support programs to assist in transferring developer code between user's processor and EPC20 FPGA.

Ordering Information

Industry Pack Modules

- IP-EP201:** 48 TTL I/O lines
- IP-EP201E:** Same as above w/extended temperature range
- IP-EP202:** 24 differential RS485 I/O lines
- IP-EP202E:** Same as above w/extended temperature range
- IP-EP203:** 24 TTL and 12 RS485 I/O lines
- IP-EP203E:** Same as above w/extended temperature range
- IP-EP204:** 24 LVDS I/O lines
- IP-EP204E:** Same as above w/extended temperature range
- IP-EP2-EDK:** Engineering Design Kit (one kit required)

Acromag offers a wide selection of [Industry Pack Carrier Cards](#).

Software (see [software documentation](#) for details)

- IPSW-API-VXW:** VxWorks™ software support package
 - IPSW-API-QNX:** QNX™ software support package
 - IPSW-API-WIN:** Windows™ DLL driver software support pkg.
 - IPSW-LINUX:** Linux™ support (website download only)
- See [accessories documentation](#) for additional information.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com