



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

# 1502/10/25/72 Powered CAMAC Crates

## FEATURES

- Mandatory voltage (+24, +6, -6, -24) available, all models
- All units also provide +/-12 V outputs
- Input voltage range selections on 1502 and 1525
- Voltage and current metering on 1502, 1525, and 1572
- 6 V capacity to 100 A (1525)

## GENERAL DESCRIPTION

This series of powered CAMAC crates fully complies with CAMAC specification IEEE-583. Crates include the CAMAC Dataway with an 86-contact PC edge connector a each station. All units include one or more self-contained blowers as well as a power supply which converts the ac source to the mandatory DC CAMAC Dataway voltages (+/-6 V and +/-24 V) and also provide the optional +/-12 V outputs.

## TYPE SUMMARY

Model	Description
1502	25-station crate (52 A shared on +/- 6 V)
1510	12-station crate (12 A on + 6 V, 4 A on - 6 V)
1525	25-station crate (100 A on + 6 V and - 6 V)
1572	Similar to 1502, but with separate power supply

All crates in this series are arranged for 19-inch relay rack mounting and include module mounting holes for CAMAC only. NIM holes are only available on certain options (refer to ORDERING INFORMATION).

The Model 1502 is a full-featured, 25-station CAMAC crate. It includes a rear-mounted power supply and a front-removable fan tray. The crate can deliver up to 525 W of power. The power supply features +/-6 V outputs shared to 52 A and +/-24 V outputs shared to 9 A. The front panel of the fan tray includes an over-temperature warning LED, a switch-selected digital meter for monitoring all voltages and currents, and removable air-intake filters. Options are available with a rear I/O mounting bar for affixing 36-contact PC edge connectors and with a status bit on a rear LEMO connector. The Model 1572 is similar to the 1502 crate except that the power supply is mounted separately.

The Model 1510 is a 12-station crate for small CAMAC systems or remote units. The front-panel space on the right side is available for customer use. Refer to the 1507 data sheet for information on the 11-slot powered CAMAC minicrate.

The Model 1525 is a full-featured, high-power crate. Its rear-mounted power supply can deliver up to 1680 W of power. The +/-6 V supplies are each rated at 100 A (for a total of 200 A), and the +/-24 V supplies are each rated at 10 A. Microprocessor-based circuitry monitors and displays output voltages, currents, air flow, and temperature. If any parameter exceeds specified limits, the ac input voltage is removed. The 1525 can be supplied with a status byte output readable from the Dataway.

## SERIAL PORT OPTIONS (order separately)

Model	+24 V	-24 V	Shared to	+12 V	-12 V	Shared to	+6 V	-6 V	Shared to
-------	-------	-------	-----------	-------	-------	-----------	------	------	-----------

1502/72	6 A	6 A	9 A	3 A	3 A	6A	52 A	52 A	52 A
1510	1 A	1 A	2 A	---	---	---	12 A	4 A	16 A
1525	10 A	10 A	20 A	10 A	10 A	---	100 A	100 A	200 A

**Notes:**

1. On the 1502, 1525, and 1572, the +/-12 V supplies are derived from the +/-24 V sources; therefore the +12 V load must be considered part of the +24 V load and the -12 V load part of the -24 V load.
2. All models provide current foldback limiting and overvoltage crowbar protection for all output voltages.
3. All power supplies are of the linear type, except for the +/-6 V supplies on the 1525, which are switching supplies.

**ORDERING INFORMATION**

Model	# of Slots	I/O Bar	Status Output	NIM Holes	Power Supply	Size (cm) (H/W/D)	Weight
1502-P2C	25	No	No	No	Self-Contained	31.1/48.3/55.9	36 kg
1502-P2D		Yes	No				
1502-P2E		No	Yes				
1502-P2F		Yes	Yes				
1502-P2G		No	No	Yes			
1502-P2H		No	Yes				
1510-P2C	12	Yes	No	Yes	Self-Contained	25.4/48.3/55.9	25 kg
1525-P2A	25	Yes	Yes	No	Contained 100 V	40.2/48.3/55.9	55 kg
1525-P2B					Contained 120 V		
1525-P2C					Contained 220 V		
1572-P2C	25	No	No	No	Separate	31.1/48.3/29.9	36 kg
1572-P2D		Yes					
1572-P2E		No	Yes				
1572-P2F		Yes					

**Notes:**

1. The 1572 includes a separately mounted power supply: 22.2 cm (8 3/4 in) x 48.3 cm (19") x 38.1 cm (15").
2. The 1525 includes separate ordering options for 100, 120, and 220 VAC input. When ordering all other models, state the desired AC line voltage. The unit will be strapped and fused for that voltage.
3. Options are available with a rear I/O mounting bar for affixing 36-contact PC edge connectors. With this option, five sets of I/O adapter blocks are included (for five connectors). Additional adapter block kits can be ordered as Model 5962-Z1A (with five sets of blocks per kit).
4. The 1525 is available with NIM holes by [Special order](#).

## **Accessories**

Model 5962-Z1A Adapter Kit for 36-contact Rear I/O Connectors (five sets of adapter blocks)

Model 1950-001 or -002 Rack Mount Support Brackets for 1510 (pair)

## **Spares - Crate Subassemblies**

Model 1502-110 Fan Unit

Model 1502-200 Power Supply

Model 1502-310 Crate



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)