



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT


Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Rod Platforms



- Fixed or rotatable versions
- Multiple mounting surfaces
- English and metric versions available

Model 34 Rotatable Platforms are designed for mounting components at arbitrary angles. One end of the platform has a circular slot, centered on a clearance hole, to provide 360° positioning in continuous 90° steps when attached with two bolts. This allows you to position the mounting surface at any angle before locking it into place. The platforms may also be joined end-to-end for added length, or side-to-end to achieve compound mounting angles.

The 300-P Rod Platform has three machined mounting surfaces: one parallel to the post axis and two perpendicular to it. The platform clamp is double-bored, forming two line contacts along the bore to assure wobble-free clamping when the locking screw is tightened.


The **Model 32A Fine Positioner** provides fine height adjustment via a cap screw that engages a tapped hole in either end of the 300-P (M-300-P) Rod Platform. The cap screw runs in ball bearings and provides a height adjustment range of 0.7 in. (18 mm).

Ordering Information


Model (Metric)	Description
34 (M-34)	Rotatable Platform
300-P (M-300-P)	3-Sided Rod Platform*
32A (M-32A)	Fine Height Positioner*

*Order rod separately

Model 34



Model 300-P



Model (Metric)	Thread	A	B	C	D	E	F
34 (M-34)	1/4-20 (M6)	0.500 (12.5)	1.00 (25.0)	0.50 (13.1)	0.75 (19.7)	1.00 (25.6)	
300-P (M-300-P)	1/4-20 (M6)	0.500 (12.5)	1.00 (25.0)	2.00 (1.97)	2.13 (2.13)		



Model 34 shown mounted to a Model 340-RC Clamp and Model 45 Rod



Fine height adjustment can be made on the 300-P Rod Platforms by using 32A Fine Positioner.

CAD See our website for CAD files



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com