



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗


WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



Instruction Bulletin

Subject: **SY/MAX[®]**
CLASS 8030 TYPE HIM-191
8 FUNCTION INPUT
SIMULATOR MODULE

SPECIFICATIONS

Inputs per Module 8

ON Switch Up

OFF Switch Down

Rated Module Current Draw
 on SY/MAX Power Supply 40mA per Module

Ambient Temperature
 Rating 0 - 60°C


Humidity Rating 0 - 95% non-condensing

Weight (unpackaged) 1.0 lb./0.45 kg.

Module May be Used in These
 I/O Rack Assemblies HRK-100, HRK-200

DESCRIPTION

The Type HIM-191 Input Simulator Module, when inserted into a rack, may be used as a diagnostic aid for testing and troubleshooting the inputs of the programmable controller system. The module consists of eight user actuated toggle switches which set the state of the inputs ON or OFF. The module does not require any external wiring, therefore a terminal block is not provided. A marking area is provided next to each switch for user identification.



APPLICATION CONSIDERATIONS

- The input simulator module may be used in the rack assembly as a toggle switch to select different functions or sequences in the control program.
- Depending on the size and routing of wiring to the terminals of adjacent modules, it may be necessary to remove an adjacent terminal block before removing the Input Simulator Module.

INSTALLATION INSTRUCTIONS

Insert the module into the rack (holding the module's pull tab in a horizontal position as the module is inserted) and tighten the captive screw at the bottom of the module. Lower the latching clamp to secure the top of the module.

E. G. Charland



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com