



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com


ISA Hardware

DT2815

Analog Output

The DT2815 is a low-cost, half-size analog output board for IBM® PC compatibles. It provides eight 12-bit DACs with throughputs of 3.3 kS/s on a single channel. Voltage or current outputs can be selected.

- Can set each channel independently to use voltage range or current outputs, which do not degrade over distance




IM4107

Summary

D/A: 8 channels; 12 bits; 3.3 kS/s* (single channel), 425 Hz/channel (all channels operating); voltage or current outputs

*System Dependent



IM0197

Ordering Summary

All Data Translation products are covered by a 1-year warranty. For pricing information, see a current price list, visit our web site, or contact your local reseller.

The DT2815 ships with a DT-Open Layers device driver for Windows 95/98 and a comprehensive user manual.

■ DT2815

Accessory for User Connections

- DT757—Screw terminal panel and cable

Software

The following products include a copy of the software, a single-user license, and a user manual. All software is supplied on CD-ROM, except as noted.

- HP VEE with DT VPI visual programming software Version 5.0 for Windows 95/98 SP1950-CD
- HP VEE Lab with DT VPI visual programming software version 5.0 for Windows 98 SP1950-LAB
- TestPoint software for designing test, measurement and D/A applications for Windows 95/98 SPTPXX-CD (see page 32 for details)
- DTx-EZ visual programming tools for Visual Basic and Visual C++ for Windows 95/98 SP0970-CD
- DataAcq SDK Software Development Kit for Windows 95/98 SP0945-CD
- DT-LV Link data acquisition connection to LabVIEW for Windows 95/98, on 3.5 in. 1.4 MB disk SP0810-CL

© Copyright 2000 Data Translation, Inc. All rights reserved. All trademarks are the property of their respective holders. Prices, specifications, and availability are subject to change without notice.

Specifications

All specifications are typical at 25° C and rated voltage, unless otherwise specified.

ANALOG OUTPUT

Number of Channels
Eight
Description
Eight outputs multiplexed from a single D/A converter; outputs are driven by sample and hold circuits that are automatically refreshed as required

Resolution
12 bits
Throughput (System Dependent)
3.3 kS/s (one channel); 425 kS/s/channel (all eight channels operating)
Output Ranges
Voltage Out: 0–5, ±5 V @ ±5 mA max
Current Out: 4–20 mA

Settling Time
300 µs
Slew Rate
Voltage Out: .2 V/µs min
Current Out: 1 mA/µs
Error
Voltage Out: ±.025% of FSR
Current Out: ±.05% of FSR
Drift
Zero, ±10 µV/° C
Gain, ±20 ppm of FSR/° C

GENERAL

Interface
ISA Bus or EISA Bus for use with IBM PC compatibles; I/O mapped
Power Requirements
+5 V @ 250 mA typical; +12 V @ 83 mA typical; -12 V @ 95 mA typical
Current Loop: +12 V supply, 250 mA max (using +12 V supply on all eight channels)

Loop Supply Range:
10–40 V with 250 load resistor
Physical /Environmental
Dimensions—
half-size PC board
11.4 x 12.5 x 2.5 cm (4.5 in. x 5.0 in. x 1 in.)
Connector—
Two 20-pin double row headers

Temperature—
operating:
0 to 70° C;
storage:
-25 to 85° C
Relative Humidity—
to 90%, non-condensing





Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com