



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)




## Eliminator® filter driers type DML/DCL for liquid line – protection lies in the solid core

- High drying capacity avoiding the risk of acid formation in your refrigeration system
- High dirt retention with minimal pressure drop
- Corrosion resistant powder-painted finish.
- Suitable for use in all environments including marine applications

REFRIGERATION AND  
AIR CONDITIONING

## Function of filter drier



- A Solid core type DM or DC
- B Flare or solder connections
- C Perforated filter plate
- D Polyester filter mat
- E Spring
- F Corrosion resistant powder-paint

### Range of filter driers

	1/4 in.	5/16 in.	3/8 in.	1/2 in.	5/8 in.	3/4 in.	7/8 in.	1 1/8 in.
3 cu.in.	■ ■	■ ■	■ ■	■ ■				
5 cu.in.	■ ■	■ ■	■ ■	■ ■	■ ■			
8 cu.in.	■ ■	■ ■	■ ■	■ ■	■ ■	■ ■		
16 cu.in.	■ ■	■ ■	■ ■	■ ■	■ ■	■ ■	■ ■	
30 cu.in.			■ ■	■ ■	■ ■	■ ■	■ ■	■ ■
41 cu.in.			■ ■	■ ■	■ ■		■ ■	■ ■
60 cu.in.				■ ■		■ ■	■ ■	■ ■
75 cu.in.							■ ■	■ ■

### 100% Molecular Sieves

- Used in DML filter driers.
- Provides high water adsorption at low and high condensing temperatures, also at low and high degrees of humidity.
- Built with pure 3 Å molecular sieves, compatible with all HFC refrigerants, POE and PAG oils. There are no hidden ingredients.

	1/4 in.	5/16 in.	3/8 in.	1/2 in.	5/8 in.	3/4 in.	7/8 in.	1 1/8 in.
3 cu.in.	■ ■	■ ■	■ ■					
5 cu.in.	■ ■	■ ■	■ ■					
8 cu.in.	■ ■	■ ■	■ ■	■ ■	■ ■			
16 cu.in.	■ ■	■ ■	■ ■	■ ■	■ ■	■ ■	■ ■	
30 cu.in.			■ ■	■ ■	■ ■	■ ■	■ ■	■ ■
41 cu.in.			■ ■	■ ■	■ ■		■ ■	■ ■
60 cu.in.				■ ■			■ ■	■ ■
75 cu.in.							■ ■	■ ■

### Blend of Molecular Sieves and Activated Alumina

- Used in DCL filter driers.
- Adsorbs moisture and acid before they interfere with your refrigeration system.
- Recommended for use with mineral oils and alkyl benzene oils, and also compatible with all HCFC, CFC and HFC refrigerants.

■ Solder connections    ■ Flare connections

### Choose the core composition that is optimized for your system:

Core type	Oil type	Refrigerant	Used in drier type
100% Molecular sieves	Polyolester (POE) Polyalkyl glykol (PAG)	R 134 a, R 404 A R 410 A etc. R 22 compatible	DML
Blend of Molecular sieves and activated alumina	Mineral oil (MO) Alkyl benzene (BE)	R 22, R 502, etc.	DCL

### Advantages

- Wide range with sizes from 3 to 75 cubic inches with solder or flare connections
- Moisture adsorption, acid adsorption and dirt retention down to 25 µm particles
- Quality solid cores developed in co-operation with air-conditioning and compressor manufacturers
- Simple and effective drier selection procedure

[www.danfoss.us](http://www.danfoss.us)

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without consequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)