



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

<http://www.dataweek.co.za/17911N>

DATAWEEK

ELECTRONICS & COMMUNICATIONS TECHNOLOGY



Quad TigerSHARC PCI board

15 June 2005, *Computer/Embedded Technology*

BittWare's Tiger-PCI (TSPC) board features the processing power of four 250 MHz *Analog Devices* ADSP-TS101S TigerSHARC DSPs. The PCI board incorporates a 64-bit 66 MHz PCI interface and shared memory, including up to 256 MB SDRAM and 8 MB Flash. The board also features a variety of I/O interfaces, which include a PMC site and external link ports.

The four TigerSHARC DSPs share a common 83,3 MHz local bus, which also provides access to the SDRAM and SharcFIN ASIC. The TigerSHARC provides 12 GBps of internal memory bandwidth and features 6 Mbits of on-chip SRAM. It supports both fixed and floating point operation, providing 1500 MFLOPS of processing power for 32-bit floating point operations and 6 GOPS for 16-bit fixed point operations.

The SharcFIN ASIC features a comprehensive set of bus interfaces and peripherals for the ADSP-TS101S DSPs and provides a clean board-level implementation. It integrates a full 64-bit 66 MHz master PCI interface, an extensive flag and interrupt multiplexer, and a peripheral bus that interfaces the DSPs to peripherals such as the Flash memory.

I/O interfaces on the TSPC include four external link ports and a PMC site with BittWare's PMC+ extensions.

Credit(s)	
Supplied By:	Bekithemba Electronic & Mechanical Distributors
Tel:	+27 (0)12 543 1451
Fax:	+27 (0)12 567 1479
Email:	ben@bekithemba.co.za
www:	

Copyright © Technews Publishing (Pty) Ltd. All rights reserved.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com