



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

## Communications Signal Analyzer



### CSA 803C

**This product is discontinued.**

View [alternative products](#).

Check [product support](#) status.

### FEATURES

### APPLICATIONS

#### > [Features](#)

#### [Specs](#)

### CSA 803C

- DC to 50 GHz with up to 12.5 GHz Trigger Bandwidth
- Design and Evaluation of Datacomm/Telecomm Components, Transceiver Subassemblies, and Transmission Systems.
- Fully Automatic Jitter, Noise, and Extinction Ratio Measurements
- Normal, Infinite, Variable Persistence, and Color Graded Display Modes
- Compatible with Optional O/E Converters
- Automatic Measurements on Eye-diagrams
- Time and Voltage Histograms
- Automated ITU/ANSI Mask Testing with 47 Predefined Standard Masks

### Digital Communications Analysis Solutions

Specifically designed for communications applications, the CSA 803C Communications Signal Analyzer is the ideal tool for design and evaluation of datacomm/telecomm components, transceiver subassemblies, and transmission systems.

The CSA 803C oscilloscope generates measurement results, not just raw data, with time and voltage histograms, mask testing, and statistical pulse parameter measurements. It provides a communications-tailored measurement set that includes jitter, noise, duty cycle, overshoot, undershoot, extinction ratio and amplitude measurements.

In addition, mask testing of SDH/SONET, Fiber Channel, and other standards simplifies compliance testing. A full color display helps you to discriminate waveform details. A color-graded display mode adds a third dimension - sample density - to your signal acquisitions and analysis. Color hardcopy capabilities allow you to accurately document your measurement results.

### Modularity and Flexibility

The modularity of the instrument lets you choose the right bandwidth sampling head for your application, including the 2.5 GHz high impedance (100 k Ohm), low capacitance (0.475 pF) SD-14 up to 50 GHz with the SD-32.

High bandwidth probes are also available for constructing a total acquisition and measurement solution.

### Superior Triggering Capabilities

In addition to its full-function DC-coupled 4.0 GHz trigger (typical), the CSA 803C offers a built-in, AC-coupled 12.5 GHz (typical) prescaler trigger for direct triggering on high-speed data at bit rates such as 9.953 GB/S OC192/STM64.

Customers doing pass/fail testing to communications standards benefit from the excellent metastability characteristics of these triggers. Metastability is a condition of all logic devices when they do not latch to a valid ON or OFF logic level, and can occur during trigger events with all sampling oscilloscopes and circuits under test. The raw metastability of the CSA 803C direct trigger is an impressive 5 parts per billion or less, and with Enhanced Triggering ON metastable trigger events are essentially eliminated. This is possible because Enhanced Triggering is capable of detecting possible metastable sample points and discarding them.

[Top of Page](#)

[Features](#)

[Specs](#)



Tektronix Measurement products are manufactured in ISO registered facilities.



49A-10733-3p290, 06/1997, 09/01/1999

[an error occurred while processing this directive]



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)