



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



CF test 222

CompactFlash™ Tester

Overview

The CF test 222 socket tester provides a quick and accurate way to verify the functionality of a CompactFlash™ host socket. Housed in a standard 3.3mm enclosure, the unit is fully self-contained. It can verify all data, address and control signals in both PC card ATA mode and IDE mode. The CF test 222 supports operation at 3.3 or 5.0V. The on-board A/D converter can measure the Vcc voltage with 8-bit resolution. The unit also includes a standard CIS to identify itself as a test card. This ID can be used by the host firmware to identify that the test card has been plugged in and to initiate a test sequence.

The CF test 222 is designed for the special requirements of CompactFlash™ hosts based on the Intel SA-11xx series of controllers. Software developed for the CFtest 220 requires minimal modifications to run on the CFtest 222.

The CF test 222 card eliminates the need for complex and time consuming data transfers to standard CF cards to test the interface and test time can be reduced from several minutes to several seconds.



Key Features

- Standard CF factor
- Fully self-contained
- Accurate Vcc measurements
- 3.3V/5.0V operation
- Supports both PC Card and ATA and IDE modes
- Standard CF factor
 - Address lines (11)
 - Data lines (16)
 - Card Selects (2)
 - R/W strobes (4)
 - Battery voltage detects (2)
 - Master/Slave select (-CSEL)
 - -REG signal
- -IO16 I/O is 16 bits
- -INPACK input acknowledge
- -IREQ interrupt request
- -WAIT
- Reset, Ready/Busy, Write Protect and Wait
- High quality connectors for long service life

Mechanical Specifications

Physical

- Width: 42.8mm
- Length: 36.4mm
- Thickness: 3.3mm

Electrical

- +5V+ 10% @ 100mA max
- +3.3V + 0.3V @ 100A max

Environmental

- Temp 0 to 50 C
- Humidity 8% to 80% non-condensing

Accessories Supplied

- CF test 222 Technical Reference Manual



CompactFlash™ is a trademark of the CompactFlash Association



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com