



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

# NE-500 OEM Application Syringe Pump



**NE-500 does not come with a power supply. Please see OEM Starter Kit and OEM Net below**

**Model: NE-500**

**Price: US \$495**

**Part ID: PUMP-NE500**

- **Computer controllable:** networkable up to 100 pumps
- **Stand-alone operation:** pre-program the pump with a dispensing program, then operate the pump from an attached [Foot Switch](#), button, or I/O controller
- Add the [OEM Starter Kit](#) to run as a fully functional, stand-alone pump

## **Description:**

- Does not have a built-in user interface
- Chassis mountable: 9 1/2"L x 4 1/4"W x 4 1/8"H (23.5 x 10.8 x 10.5 cm)
- Operates from a 12V DC power source
- Holds 1 syringe up to 60 cc
- Infusion rates from 0.73  $\mu$ L/hr ( 1 cc syringe) to 2100 ml/hr (60 cc syringe)
- [Includes all the advanced functions and programming features of the NE-1000 family](#)
- [Download free pump terminal emulator](#)
- Custom modifications to the mechanics and firmware are available



Open chassis design easily mounts into your system

## Features:

- Built for Automation
- Operates from a computer
- Infusion and withdrawal
- Set a single pumping rate and/or dispensing volume
- Program up to 41 pumping phases that change pumping rates, set dispensing volumes, insert pauses, control and respond to external signals, sound the buzzer
- Network, control, and monitor up to 100 pumps with one computer
- Motor stall detection available in NE-501 model (\$550)
- Dispensing accuracy of  $\pm 1\%$
- Unlimited lifetime technical support
- Two year warranty

## High pressure notes:

The NE-500 produces about 15 lbs of linear force at top speed and about 35 lbs at slow speeds. 10 ml/hr is an example of slow speed. The pressure that can be generated is relative to the syringe size. On a 60 ml syringe, this would roughly produce about 30 psi

The high pressure version, NE-510, will approximately double the pumping force at the same speeds.

## Example Flow Rates (NE-500):

Syringe Size (cc)	Maximum Rate (mL/hr)	Minimum Rate ( $\mu$ L/hr)
0.5 $\mu$ L	25.49	0.001
1	53.09	0.73
3	192.5	2.646
5	406.1	5.581
10	600	8.244
20	975.8	13.41
30	1282	17.63
60	2120	29.13

Sample syringe configurations, can hold any size syringes below 60 cc.

**NE-510 High Pressure Variant (Motor Upgrade)**

**Model: NE-510**

**Price: US \$535**

**Part ID: PUMP-NE510**

**Example Flow Rates (NE-510):**

Syringe Size (cc)	Maximum Rate (mL/hr)	Minimum Rate ( $\mu$ L/hr)
0.5 $\mu$ L	91.83	0.001
1 mL	191.2	1.459
3	693.4	5.291
5	1462	11.17
10	2160	16.49
20	3514	26.82
30	4619	35.25
60	7635	58.26

---

**Do you need an upgrade for your Syringe Pump?**

**Model: FW-5-X**

Extra Features: X upgrade is Linear/Gradient flow rate ramping, additional advanced programming possibilities, and additional i/o functions, expansion port, attach external switches, sub program selection structure, speed control switch

**Model: FW-5-X2**

Extra Features: X2 upgrade includes all features of the X model plus increases the number of programmable phases from 41 to 340, and increases the max RS-232 baud rate to 38,400

---

## OEM Starter Kit



### Description:

- Allows user to interactively communicate to the pump with a computer
- Includes: [power supply](#), [Pump-to-PC network cable \(CBL-PC-PUMP-7\)](#), user manual

**Part ID: OEM-STARTER**

**Price: US \$25**

## OEM-NET

Power supply and secondary cable only. For use when networking two or more OEM NE-500 syringe pumps together. Must use the secondary cable in order to complete this application.

**Part ID: OEM-NET**

**Price: US \$10**



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)