



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

## PK Cross-Flow® Spec Sheet



Get Twin Shell® precision blending of solids-solids faster than with other tumble blenders.

### Cross-Flow® Blender Features:

- Sharper angle improves discharge
- Quick release access covers and no-glue gasket
- Quick charging and discharging
- Easy cleaning
- Low horsepower operation
- UL Labeled components
- Cost effective
- Energy efficient
- User and maintenance-friendly
- Sanitary design for complete washdown

Uneven shell design creates a unique axial flow for quick, efficient product exchange for intimate solids-solids blending within a closed system to maintain product integrity.

**Covers:** Access covers with quick release bolts can be removable, or hinged for easy access to the internal blender. Covers are stainless steel, with the torque knob on the end for easier operator access. The center load point is a seal welded U-bracket and the entire cross arm can be removed from the cover with the central pin.

**Direct Shell Drive:** Shell RPM is set by the gear ratio and the VFD, which is incorporated into the control system.

**Control Systems:** Options range from Start/Stop, OCS, to PLC systems. OCS controls include memory that retains “run time” values in case of an emergency stop or power brownout and can integrate and/or communicate with peripheral systems, scales, feeders, pumps, or plant automation systems.

**Materials:** Product contact materials are 316 stainless steel and pharmaceutical grade elastomers. Non-product contact materials are 304 stainless steel.

### Sizes:

- Portable units are available up to 5 cu. ft. and larger
- Fixed mount models are available in standard sizes up to 150 cu. ft.
- Larger, custom designs available



**Patterson-Kelley/Harsco**  
**100 Burson Street**  
**East Stroudsburg, PA 18301**  
**1-800-413-8772**  
[www.pkblenders.com](http://www.pkblenders.com)



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)