



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



EXC-1553PC/Px

General Specifications

Supports 1553A/B, F-16
Handles 4µsec. Intermesssage gap (all modes)
32K bytes dual-port RAM (per channel)
Board setup modifiable in real time
Programmable Interrupts
Variable amplitude transceivers
Direct or transformer bus coupling
Programmable Time Tag resolution (RT & MON)
Error injection

Host Interface

PC compliance: AT, ISA, EISA Bus:
8 / 16 bit data bus
Memory space occupied: 32K x 8 per channel
Interrupts: IRQ 2 - 15
Power (P1): +5V ±5% @ 1.2A

Physical Characteristics

Mechanical format: 175mm x 107mm
Weight (/P1) : 250 grams

Operating Environment

Temperature: 0° - 70°C
Humidity: 5% - 90% noncondensing
MTBF: 143,000 hours at 25°C, G_F

Software Support

C Drivers with source code
Merlin Windows software for Windows 9x / NT

Bus Controller

Programmable Intermesssage delay
Programmable RT Response Time Out
Programmable Frame Time
Loop and single-shot modes

Remote Terminal

Up to 32 RTs
Selectable Broadcast Mode
Programmable Mode Code Subaddress ID
Programmable Status Word
Programmable RT response time

Bus Monitor

Three operational modes: Fixed-block, Link-list,
Look-up Table
Three Storage Modes: Store All, Store Only,
Store After
Programmable Triggers and Masks

Ordering Information

EXC-1553PC/Px: Multi-channel 1553 Interface for PC
compatibles
EXC-1553PC/Px-E: Extended Temperature, ruggedized
model
EXC-1553PC/PMx(-E): Supports concurrent BC/RT/BM
for each channel
Note: "x" specifies the number of MIL-STD-1553 channels required

MIL-STD-1553

1-800-MIL-1553

www.MIL-1553.com



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com