



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗


WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



5A18N

5A18N

The 5A18N is a two-channel amplifier that delivers bandwidth of dc to 2 MHz at sensitivities to 1 mV/div. To provide difference measurements of two signals in the ADD mode, simply invert the Channel 2 signal. You can select the internal trigger signal from either Channel 1 or Channel 2. For dual-trace X-Y operation, just plug the amplifier into the right plug-in compartment.

CHARACTERISTICS


Bandwidth and Rise Time (-3 dB) - Dc to 2 MHz and 175 ns.

Deflection Factor and Accuracy - $\leq 2\%$ at 1 mV to 5 V/div.

Input R and C - 1 M Ω , ≈ 47 pF.

Maximum Input Voltage - 350 V (dc + peak ac).

Chop Rate - 25 kHz to 100 kHz depending upon plug-in combinations and number of channels displayed.



5A15N

5A15N

A single-channel amplifier, the 5A15N provides bandwidth of dc to 2 MHz at sensitivities to 1 mV/div. Two 5A15Ns may be used in a mainframe to provide dual-channel operation, or to provide 1 mV/div X-Y operation if one of the amplifiers is inserted in the right plug-in compartment.


CHARACTERISTICS

Bandwidth and Rise Time (-3 dB) - Dc to 2 MHz and 175 ns.

Deflection Factor and Accuracy - $\leq 2\%$ at 1 mV to 5 V/div.

Input R and C - 1 M Ω , ≈ 47 pF.

Maximum Input Voltage - 350 V (dc + peak ac).



5A14N

5A14N

The 5A14N is a four-channel amplifier that provides 1 MHz bandwidth and sensitivity to 1 mV/div. Each channel may be displayed separately, or the channels may be alternated or chopped in any combination. Channel 1 provides the triggered signal for the unit. In addition, you can combine two 5A14Ns to provide eight-channel operation in any mainframe.

CHARACTERISTICS

Bandwidth and Rise Time (-3 dB) - Dc to 1 MHz and 350 ns.

Deflection Factor and Accuracy - $\leq 2\%$ at 1 mV to 5 V/div.

Input R and C - 1 M Ω , ≈ 47 pF.

Maximum Input Voltage - 350 V (dc + peak ac).

Chop Rate - 25 kHz to 100 kHz depending upon plug-in combinations and number of channels displayed.

Versatile 5000 Series Amplifiers with One to Four Channels.

5A18N

- DC to 2 MHz Bandwidth
- Invert and Add Modes
- 1 mV to 5 V/div

ORDERING INFORMATION

5A18N
Two-Channel Amplifier **\$1,095**
Includes: Instruction/Service manual (070-1137-00).

5A15N

- DC to 2 MHz Bandwidth
- 1 mV to 5 V/div

ORDERING INFORMATION

5A15N
Single-Channel Amplifier **\$595**
Includes: Instruction/Service manual (070-1136-00).

5A14N

- DC to 1 MHz Bandwidth
- Four Independent Channels
- 1 mV to 5 V/div

ORDERING INFORMATION

5A14N
Four-Channel Amplifier **\$2,195**
Includes: Instruction/Service manual (070-1229-00).

To order, call your local Tektronix Sales Office, or call Tek's National Marketing Center.
Toll free: 1-800-426-2200, Ext. 99.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com