



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Technical Specifications for the LAMBDA 25/35/45 UV/Vis Spectrophotometers

Technical description and specifications

		LAMBDA™ 25	LAMBDA™ 35	LAMBDA™ 45
Part number*	(Standard System)	L6020060	L6020064	L6020068
Part number*	(Enhanced Security System)	L6020062	L6020066	L6020070
Wavelength range		190-1100 nm	190-1100 nm	190-1100 nm
Bandwidth		1 nm fixed	0.5, 1, 2, 4 nm variable	0.5, 1, 2, 4 nm variable
Stray light	At 220 nm (NaI)	< 0.01%T	< 0.01%T	< 0.005%T
	At 340 nm (NaNO ₂)	< 0.01%T	< 0.01%T	< 0.005%T
	At 370 nm (NaNO ₂)	< 0.01%T	< 0.01%T	< 0.005%T
	At 200 nm (KCl)	< 1%T	< 1%T	< 1%T
Wavelength accuracy	At D ₂ peak (656.1 nm)	±0.1 nm	±0.1 nm	±0.1 nm
Wavelength reproducibility	10 measurements at 656.1 nm	±0.05 nm	±0.05 nm	±0.05 nm
Photometric accuracy	At 1 A using NIST 930D filter	±0.001 A	±0.001 A	±0.001 A
	At 2 A using NIST 1930D filter	±0.005 A	±0.005 A	±0.005 A
	Potassium dichromate	±0.010 A	±0.010 A	±0.010 A
Photometric reproducibility	Maximum deviation of 10 measurements at 1 A	< 0.001 A	< 0.001 A	< 0.001 A
Photometric stability	Stability at 1 A, at 500 nm with 2-sec. response time	< 0.00015 A/hour	< 0.00015 A/hour	< 0.00015 A/hour
Photometric noise at 500 nm (RMS)	Noise 500 nm/0 A RMS Slit 1 nm	< 0.00005 A	< 0.00005 A	< 0.00005 A
Baseline flatness	Slit 1 nm	±0.001 A	±0.001 A	±0.001 A

Technical description and specifications

LAMBDA™ 25

LAMBDA™ 35

LAMBDA™ 45

Construction	Solid CNC-machined aluminum chassis for thermal and vibration stability
Optics	Double-beam, sealed, quartz-coated mirrors; lens-free system to reduce chromatic aberrations
Monochromator	Seya Namioka
Grating	Holographic, concave grating with 1053 lines per mm
Source	Deuterium and Tungsten prealigned sources with automatic switch-over
Size (W x D x H)	650 mm (25 in.) x 560 mm (22 in.) x 233 mm (9 in.)
Weight (approx.)	26 kg (57 lbs)

The specifications listed above are confirmed and are based on final test pass criteria used in manufacturing. Typical specifications may be superior to those listed.

*Requires PC

PerkinElmer Life and
Analytical Sciences
710 Bridgeport Avenue
Shelton, CT 06484-4794 USA
Phone: (800) 762-4000 or
(+1) 203-925-4602
www.perkinelmer.com



For a complete listing of our global offices, visit www.perkinelmer.com/lasoffices

©2004 PerkinElmer, Inc. All rights reserved. The PerkinElmer logo and design are registered trademarks of PerkinElmer, Inc. LAMBDA is a trademark of PerkinElmer, Inc. or its subsidiaries, in the United States and other countries. All other trademarks not owned by PerkinElmer, Inc. or its subsidiaries that are depicted herein are the property of their respective owners. PerkinElmer reserves the right to change this document at any time without notice and disclaims liability for editorial, pictorial or typographical errors.

006658_02 Printed in USA



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com