



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



Electronic Safety Shutters



- Terminate beam without shutting down the system
- Usable with sources to 1000 W
- Convenient remote control switch

71445 Safety Shutter mounted to Oriel Arc Lamp Housing condenser.

Most of our light sources produce UV radiation; the arc and deuterium sources produce very intense ultraviolet. Exposure, even for short periods of time, can cause severe skin and eye burns. It is best to shut off the source when it is not in use. When this is impractical because of frequent use, these safety shutters provide a reliable alternative. The shutter enclosure mounts to the condenser output of any Oriel® Light Source, and closes off the beam. You can also use these shutters for timed exposures (the shutters do not have "bounce" problems).

Specifications

Input	95 - 130 VAC/0.25 A, max 190 - 260 VAC/0.125 A, max
Output Hold, Open*	12 VDC, nominal 0.5 A, nominal
Output Hold, Close	0 V, 0 A

*Initial opening V and A are higher.

Ordering Information

Electronic Safety Shutters

Model (Metric)	Description
71445	Electronic Safety Shutter, 1.5 Inch Series
71446	Electronic Safety Shutter, 2 Inch Series
71447	Electronic Safety Shutter, 3 Inch Series

Apertures

Model (Metric)	Description
71340	Beam Aperture Disk, 1.5 inch Diameter, 1.0 inch Aperture
71360	Beam Aperture Disk, 1.5 inch Diameter, 0.4 inch Aperture
71370	Beam Aperture Disk, 1.5 inch Diameter, 0.2 inch Aperture
71380	Beam Aperture Disk, 1.5 inch Diameter, 0.1 inch Aperture
71390	Beam Aperture Disk, 1.5 inch Diameter, 0.04 inch Aperture

Accessories

Model (Metric)	Description
6195	Flanged Lens Holder, 1.5 Inch Series




Fig. 1 The open and close times depend on the shutter speed and the beam power distribution. For this figure we used a 1.5 Inch Series, F/1.5 condenser on the output of our arc lamp housing. The second trace shows the open and close characteristics of the same 71445 Shutter with a ~ 1 mm HeNe laser beam.




Fig. 2 Secondary focusing lens is used to focus the output from a Research Source onto the 71445 Electronic Shutter. An aperture is used to clean the beam.

WEB See our website for more info

MIRROR MOUNTS
LENS MOUNTS
SPECIALTY OPTICAL MOUNTS
RAIL SYSTEMS
MECHANICAL OPTICS
ACCESSORIES
BASES, BRACKETS AND CLAMPS
OPTICAL POSTS AND RODS
COMPONENT SETS
FILTER MOUNTS



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com