

Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

 FAST SHIPPING AND DELIVERY TENS OF THOUSANDS OF **IN-STOCK ITEMS** EQUIPMENT DEMOS HUNDREDS OF SUPPORTED LEASING/MONTHLY

SECURE ASSET SOLUTIONS

at our full-service, in-house repair center Instra View REMOTE INSPECTION

Experienced engineers and technicians on staff

SERVICE CENTER REPAIRS

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

Contact us: (888) 88-SOURCE | sales@artisantg.com | www.artisantg.com

WE BUY USED EQUIPMENT Sell your excess, underutilized, and idle used equipment

We also offer credit for buy-backs and trade-ins

www.artisantg.com/WeBuyEquipment >

LOOKING FOR MORE INFORMATION?

Visit us on the web at **www.artisantg.com** [→] for more

information on price quotations, drivers, technical

specifications, manuals, and documentation

Express Line LCDs

Arm Mountable Series Now Available - Call For Pricing !!!

Nortech's *Express Line* LCD monitors have been engineered using the highest quality components, but geared toward price sensitive applications. Designed for harsh environments, all monitors are NEMA 4 rated when properly mounted. Maximum resolution varies from 800x600 for the 12.1" LCD to 1280x1024 for the 18.1" unit. A key feature of the *Express Line* is its ability to be customized with colors and graphics to meet customer or OEM requirements.


Combined with our commitment to ship within 48 hours of receiving an order, the *Express Line* is a unique opportunity for Distributors and System Integrators to offer an OEM product to its customers.

Touch equipped models can be ordered with Resistive or Capacitive technology and clear or anti-glare surface treatment. Serial RS232 or ISA bus controllers can also be specified depending on your application. Software drivers are available for most operating systems.


| | EXP1210-P or ARM | EXP1510-P or ARM | EXP1810-P |
|-------------------|---|---|---|
| LCD | 12.1" Active Matrix TFT / .30mm Dot Pitch | 15.0" Active Matrix TFT / .30mm Dot Pitch | 18.1" Active Matrix TFT / .28mm Dot Pitch |
| Viewable | 12.1" | 15.0" | 18.1" |
| Resolution | 800 x 600 (75Hz Max.) | 1024 x 768 (75Hz Max.) | 1280 x 1024 (75Hz max.) |
| Colors | 262,144 | 16.7 million | 16.7 million |
| View Angle | 100 Degree Viewing Cone | 100 Degree Viewing Cone | 160 Degree Viewing Cone |
| Brightness | 100 nits | 200 nits | 200 nits |
| Contrast Ratio | 100:1 typical | 350:1 typical | 200:1 typical |
| Video Input | HD15 | HD15 | HD15 |
| Input Voltage | 12.5V / 2.8A Universal Input AC Adapter | 12.0V / 4.0A Universal Input AC Adapter | 12.0V / 5.0A Universal Input AC Adapter |
| Power Consumption | 35 Watts | 45 Watts | 50 Watts |
| Weight | 10 lbs. | 15 lbs. | 25 lbs. |
| Operating Temp. | 5 to 50 C | 5 to 50 C | 5 to 50 C |
| Storage Temp. | -10 to +60 C | -10 to +60 C | -10 to +60 C |
| Humidity | 30 to 80 % non-condensing | 30 to 80 % non-condensing | 30 to 80 % non-condensing |
| Altitude | 10,000 feet | 10,000 feet | 10,000 feet |
| Shock | 15G, 11ms pulse, X/Y/Z axis | 15G, 11ms pulse, X/Y/Z axis | 15G, 11ms pulse, X/Y/Z axis |
| Vibration | .006" pk/pk, 5-57Hz, 1G pk, 57-500Hz | .006" pk/pk, 5-57Hz, 1G pk, 57-500Hz | .006" pk/pk, 5-57Hz, 1G pk, 57-500Hz |
| Warranty | 1 Year parts and labor | 1 Year parts and labor | 1 Year parts and labor |

NEW MODEL for 2001!!!

| | EXP1710-P or ARM | | |
|-------------------|---|--|--|
| LCD | 17.0" Active Matrix TFT / .26mm Dot Pitch | | |
| Viewable | 17.0" | | |
| Resolution | 1280 x 1024 (75Hz max.) | | |
| Colors | 16.7 million | | |
| View Angle | 160 Degree Viewing Cone | | |
| Brightness | 200 nits | | |
| Contrast Ratio | 200:1 typical | | |
| Video Input | HD15 | | |
| Input Voltage | 14.0V / 3.0A Universal Input AC Adapter | | |
| Power Consumption | 42 Watts | | |
| Weight | 20 lbs. | | |
| Operating Temp. | 5 to 50 C | | |
| Storage Temp. | -10 to +60 C | | |
| Humidity | 30 to 80 % non-condensing | | |
| Altitude | 10,000 feet | | |
| Shock | 15G, 11ms pulse, X/Y/Z axis | | |
| Vibration | .006" pk/pk, 5-57Hz, 1G pk, 57-500Hz | | |
| Warranty | 1 Year parts and labor | | |



| | (A) | (B) | (C) | (D) | (D Max.) |
|-----------|--------|--------|--------|-------|----------|
| EXP1210-P | 13.50" | 11.66" | 12.10" | 1.75" | 2.75" |
| EXP1510-P | 17.80" | 14.00" | 15.00" | 2.50" | 3.50" |
| EXP1710-P | 18.00" | 16.00" | 17.00" | 3.25" | 4.00" |
| EXP1810-P | 20.75" | 16.25" | 18.10" | 3.75" | 4.75" |



| | (A) | (B) | (C) | (D) |
|-------------|--------|--------|--------|-------|
| EXP1210-ARM | 13.50" | 11.66" | 12.10" | 2.25" |
| EXP1510-ARM | 17.80" | 14.00" | 15.00" | 2.50" |
| EXP1710-ARM | 18.00" | 16.00" | 17.00" | 2.75" |

100mm VESA Mount is Standard on All ARM Series Units

Home About Nortech New at Nortech Support Get a Quote (Where to Buy



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

 FAST SHIPPING AND DELIVERY TENS OF THOUSANDS OF **IN-STOCK ITEMS** EQUIPMENT DEMOS HUNDREDS OF SUPPORTED LEASING/MONTHLY

SECURE ASSET SOLUTIONS

at our full-service, in-house repair center Instra View REMOTE INSPECTION

Experienced engineers and technicians on staff

SERVICE CENTER REPAIRS

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

Contact us: (888) 88-SOURCE | sales@artisantg.com | www.artisantg.com

WE BUY USED EQUIPMENT Sell your excess, underutilized, and idle used equipment

We also offer credit for buy-backs and trade-ins

www.artisantg.com/WeBuyEquipment >

LOOKING FOR MORE INFORMATION?

Visit us on the web at **www.artisantg.com** [→] for more

information on price quotations, drivers, technical

specifications, manuals, and documentation