



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

VWR® Flammable Material Storage Freezers and Refrigerators

– safe storage for volatile substances

VWR flammable material storage refrigerators, freezers and refrigerator/freezer combinations are engineered without the internal electrical components that could potentially trigger a fire. All units comply with OSHA and National Fire Protection Association safety requirements.

- Wide range of models, with temperature ranges and capacities to suit a variety of storage needs
- Externally-mounted thermostat and isolated compressor components ensure that interiors are spark proof
- Non-sparking magnetic vinyl gaskets provide a positive door seal



Flammable
Material Freezer

Cat. # 55703-531

VWR Flammable Material Storage Freezers

Temperature Range -12°C to -20°C; Factory Preset -20°C							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-514	1	141 (5)	74 x 48 x 50 (29 x 18.8 x 19.5)	85 x 54 x 67 (33.5 x 21.3 x 26.5)	120 V/60 Hz	1.4	38 (84)
55703-520	1	453 (16)	128 x 64 x 56 (50 x 25.3 x 22)	155 x 76 x 85 (61 x 30 x 33.5)	120 V/60 Hz	2.0	107 (235)
55703-531	1	586 (20.7)	146 x 71 x 56 (58 x 28 x 22)	170 x 84 x 82 (67 x 33 x 32.3)	120 V/60 Hz	2.0	114 (250)

VWR Flammable Material Storage Refrigerator

Temperature Range +2°C to +10°C; Factory Preset +4°C							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-178	1	586 (20.7)	146 x 71 x 56 (58 x 28 x 22)	170 x 84 x 82 (67 x 33 x 32.3)	120 V/60 Hz	1.4	114 (250)
55700-368	2	368 (13)	152 x 51 x 42 (60 x 20 x 16.5)	185 x 60 x 60 (73 x 23.5 x 23.5)	120 V/60 Hz	1.8	100 (220)

VWR Flammable Material Storage Refrigerator/Freezer Combinations

Temperature Range: Model 55703-134: +2°C to +10°C; Factory Preset +4°C (Refrigerator), Uncontrolled (Freezer). Model 55703-444: +2°C to +4°C; Factory Preset +4°C (Refrigerator), -14°C to -20°C; Factory Preset -17°C (Freezer)							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-134	1	14 (0.5) Frz	13 x 45 x 38 (5.2 x 17.8 x 14.9) Frz	85 x 54 x 66 (33.6 x 21.4 x 25.8)	120 V/60 Hz	0.9	35 (78)
		144 (5.1) Ref	53 x 48 x 50 (21 x 19 x 19.5) Ref				
55703-444	2	68 (2.4) Frz	33 x 47 x 43 (13.0 x 18.5 x 17) Frz	170 x 60 x 64 (67 x 23.5 x 25.4)	120 V/60 Hz	1.5	69 (151)
		249 (8.8) Ref	114 x 52 x 46 (44.9 x 20.5 x 18) Ref				

Temperature Range: +1°C to +8°C (Refrigerator), -20°C to -12°C (Freezer)							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
47747-222	2	286 (10.1)	30 x 46 x 41 (12 x 18 x 16.25) Frz	152 x 60 x 74 (60 x 23.5 x 29.25)	120 V/60 Hz	2.1	68 (150)
			91 x 50 x 46 (39 x 19.5 x 18) Ref				
47747-224	2	286 (10.1)	30 x 46 x 41 (12 x 18 x 16.25) Frz	152 x 60 x 74 (60 x 23.5 x 29.25)	240 V/50 Hz	1.5	68 (150)
			91 x 50 x 46 (39 x 19.5 x 18) Ref				

Note: Published interior volumes are nominal, useable cu. ft. capacities may be offset by shelves, drawers, blower coils or cabinet protrusions.

VWR® Explosion-Proof Freezers and Refrigerators

– maximum safety in the workplace

VWR explosion-proof freezers, refrigerators and combinations prevent the triggering of an explosion inside or outside of the cabinet. Designed to provide maximum storage safety for volatile materials, units meet SHA/National Fire Protection Association safety standards and are suitable for Class 1, Group C and Group D hazardous material environments.

- Wide range of models, with temperature ranges and capacities to suit a variety of storage needs
- Safe, spark-proof interiors
- Steel-encased electrical components eliminate ignition sources inside and outside of the cabinet
- Non-sparking magnetic vinyl gaskets provide a positive door seal



Explosion Proof Freezer

Cat. # 55703-633

VWR Explosion Proof Freezers

Temperature Range -12°C to -20°C; Factory Preset -20°C							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-512	1	141 (5)	74 x 48 x 50 (29 x 18.8 x 19.5)	85 x 54 x 73 (33.5 x 21.3 x 28.8)	120 V/60 Hz	1.4	38 (84)
55703-622	1	453 (16)	128 x 64 x 56 (50.5 x 25.3 x 22)	155 x 76 x 91 (61 x 30 x 35.9)	120 V/60 Hz	2.0	107 (235)
55703-633	1	586 (20.7)	146 x 71 x 56 (58 x 28 x 22)	170 x 84 x 89 (67 x 33 x 34.9)	120 V/60 Hz	2.0	114 (250)

VWR Explosion Proof Refrigerator

Temperature Range +2°C to +10°C; Factory Preset +4°C							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-236	1	586 (20.7)	146 x 71 x 56 (58 x 28 x 22)	170 x 84 x 89 (67 x 33 x 34.9)	120 V/60 Hz	1.8	114 (250)

VWR Explosion Proof Refrigerator/Freezer Combinations

Temperature Range: Model 55703-190: +2°C to +10°C; Factory Preset +4°C (Refrigerator), Uncontrolled (Freezer). Model 55703-442: +2°C to +4°C; Factory Preset +4°C (Refrigerator), -14°C to -20°C; Factory Preset -17°C (Freezer)							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
55703-190	1	14 (0.5) Frz	13 x 45 x 38 (5.2 x 17.8 x 14.9) Frz	85 x 54 x 74 (33.6 x 21.4 x 29)	120 V/60 Hz	0.9	35 (78)
		144 (5.1) Ref	53 x 48 x 50 (21 x 19 x 19.5) Ref				
55703-442	2	68 (2.4) Frz	33 x 47 x 43 (13.0 x 18.5 x 17) Frz	170 x 60 x 71 (67 x 23.5 x 27.8)	120 V/60 Hz	1.5	69 (151)
		249 (8.8) Ref	114 x 52 x 46 (44.9 x 20.5 x 18) Ref				
Temperature Range: +2°C to +10°C (Refrigerator), -20°C to -12°C (Freezer)							
Catalog Number	Doors	Volume Liters (cu. ft.)	Interior Dimensions H x W x D, cm (inches)	Exterior Dimensions H x W x D, cm (inches)	Electrical	Amps	Ship Weight kg (lbs)
47747-226	2	286 (10.1)	30 x 46 x 41 (12 x 18 x 16.25) Frz	152 x 60 x 77 (60 x 23.5 x 30.5)	120 V/60 Hz	2.1	68 (150)
			90 x 50 x 46 (39 x 19.5 x 18) Ref				
47747-228	2	286 (10.1)	30 x 46 x 41 (12 x 18 x 16.25) Frz	152 x 60 x 77 (60 x 23.5 x 30.5)	240 V/50 Hz	1.5	68 (150)
			90 x 50 x 46 (39 x 19.5 x 18) Ref				

Note: Published interior volumes are nominal, useable cu. ft. capacities may be offset by shelves, drawers, blower coils or cabinet protrusions.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com