



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗


LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

DB-24C

24-channel Open-Collector Output Board



Model: DB-24C



Manual



Certification



Dimensions

Functional Description

The DB-24C has 24 channels of optically isolated digital outputs, arranged into four isolated banks.

[back](#)

Features

- 24 open-collector output (NPN)
- One OPTO-22 Compatible Connector and one 37 pin D-sub connector and one 20-pin connector
- Connects directly to OPTO-22 compatible board or any 722,724 series board
- 24 channel max. load 600mA (per channel)
- Max. load voltage : 30 V_{DC}
- LED's indicated output status
- Screw terminals for easy field wiring

[back](#)

Specifications

- Open-collector (NPN)
Channel 0~23 : 600mA(max. load current)
- Power Consumption : +5V @0.4A max
- Dimension : 170 mm x 114 mm
- Operating Temperature : 0 ~ 60 °C
- Storage Temperature : -20 ~ 70 °C
- Humidity : 5% to 90 % noncondensing

[back](#)

Applications

- On/off control
- Energy management
- Test Automation
- Process Control

Ordering information

DB-24C	24-channel OPTO-22 compatible Open-collector output Board Include : CA-5015 (50-pin Flat Cable 1.5m)
DB-24C/D	24-channel Open-collector output Board Include : CA-3710 (37-pin D-sub Cable 1m)
DB-24C/DIN	DB-24C with DIN-Rail Mounting
DB-24C/D/DIN	DB-24C with DIN-Rail Mounting

Accessories

CA-2010	20-pin flat cable 1.0m
CA-2020	20-pin flat cable 2.0m
CA-3720	37-pin D-sub connector cable 2.0m



Non-"D" with CA-5015



"D" with CA-3710



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com