



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com




your NTDS specialist

SABTECH INDUSTRIES

PELICAN™ VME/PMC CARRIER

Pelican™ VME/PMC Carrier Card



The Pelican™ VME/PMC Carrier is a 6U VME card that supports up to 2 PMC modules. Its industry standard Tundra Universe II VME/PCI bridge chip assures compliance with VME and PCI bus standards. The card comes standard with easy to read front panel configuration displays, front panel reset switch, and two single wide PMC slots. Sabtech's Pelican™ VME/PMC Carrier allows you to build more powerful and less expensive systems by increasing board density while saving VME slot space for future system enhancements.

Specifications

VMEbus Interface:

- Fully ANSI/VITA 1.0 Compliant

PCI bus Interface:

- Fully PCI 2.1 Compliant, 5V Signaling

Form Factor:

- Wide 6U Eurocard

Weight:

- 8 oz (unpopulated)

Power Consumption*:

- 0A @ +3.3VDC
- 1A @ +5VDC
- 0A @ +12VDC
- 0A @ -12VDC

Relative Humidity:

- 5% to 95% (non-condensing)

Operation Temperature:

- 0°C to +55°C

* Power Consumption based on unpopulated, idle measurements. Actual consumption will vary depending on PMC module power requirements.

Specifications subject to change without notice (E & 0E)

Features

- 33 MHz PCI Bus Interface
- Programmable DMA Controller
- VME A32/A24/A16 Master and Slave Addressing
- Single 6U Height Eurocard
- Full VMEbus System Controller Functionality
- Easy to Read LED Configuration Displays
- 5V PCI Signaling Support

Ordering Information

Model Number	Product / Description
PC-SP012-00	Pelican VME/PMC carrier card



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com