



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com


ANTARES
we connect the dots in dot-com
[About Us](#)
[Products](#)
[Partners](#)
[Support](#)
[Where to Buy](#)
[Fibre Channel](#)
[SCSI Series](#)
[Ethernet Series](#)
[Peripheral Series](#)
[Combo Series](#)
[> SBus Series](#)

SBus Series

S-1058

SBus Fast Ethernet

- 100Base-TX Ethernet Controller
- Uses Standard Solaris® Built-in Drivers
- Build Routers and Firewalls
- Routing Software is Built-in to Solaris
- Full-Duplex Simultaneous Transmit & Receive
- 100Base-TX/10Base-T Autosensing
- Supports Network Booting


Antares Part Number: S-1058

 Installation Guide: [Download](#)
Operating Systems Supported: Solaris® 8
Solaris® 7
Solaris® 2.4 and later
Solaris 1.1.2

Systems Supported: SPARCstation 4
SPARCstation 5
SPARCstation 10
SPARCstation 20
SPARCserver 6x0MP
Ultra 1
Ultra 2
Enterprise 150
Enterprise 1000
Enterprise 1000E
Enterprise 2000
Enterprise 2000E
Enterprise/HPC 3000-10000 with SBus I/O

Software Drivers: [hme](#) (included in Solaris®)

OpenBoot Support: boot, test

Max Ethernet Rate 100 Mb/secs.

Number of Ethernet channels: 1

Ethernet Connector: RJ45 Modular Jack

Ethernet Address: Shared with Motherboard

Local MAC Address: No

Multiple Boards per System: Yes

SBus Slots Required: 1

SBus Data Bus Width: 32 bits

SBus Clock Frequency: 16-25 MHz

SBus Data Transfer Method: 16-Byte Burst DMA

Warranty: 3 years

Support: Lifetime

Dimensions: 83.82 mm W x 146.70 mm L

Temperature Range: Operating: -5C to +60C
Nonoperating: -15C to +70C

Humidity Range: Operating: 20% - 80%
noncondensing @ 40C
Nonoperating: 95%
noncondensing @ 40C

Altitude Range: Operating: 0 to 3000 m
(0 to 10000 ft)
Nonoperating: 0 to 15000 m
(0 to 50000 ft)

[About Us](#) | [Products](#) | [Partners](#) | [Support](#) | [Catalog](#)

© 2003, Antares Microsystems. All rights reserved. The Antares Microsystems logo is a trademark of Antares Microsystems. Sun®, Sun Microsystems®, the Solaris logo, and Solaris® are registered trademarks of Sun Microsystems, Inc.® SPARC® is a registered trademark of SPARC International, Inc®. Products bearing SPARC® trademarks are based on an architecture developed by Sun Microsystems, Inc.® [Legal Information](#)



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com