High Voltage Digital Input / Output Module



Limited Availability
Used and in Excellent Condition

Open Web Page

https://www.artisantg.com/47309-1

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services
- In stock / Ready-to-ship

- · We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center

ARTISAN'

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.







Acromag Redefines SWaP-C With Our New AcroPack® I/O Platform Industrial / Military Ready mPCIe-based Mezzanine Modules

The AcroPack® product line updates our popular Industry Pack I/O modules by using the mPCle interface format. We added 19mm and a 100 pin connector to provide up to 50 isolated rear I/O signals, giving you a tremendous amount of capability on an *Extremely Small Footprint - Without Cabling!*

Designed for COTS applications, these general purpose I/O modules deliver high-speed and high-resolution A/D and D/A, digital I/O, counter/timers, communication (Ethernet, serial, MIL-STD-1553) and reconfigurable FPGA functions.

Whether it's server-based lab activities or ship-based test systems, contact Acromag to discuss how AcroPacks can help you with tomorrow's applications, today.

Key Features Include:

- A/D, D/A, digital I/O, counter/timers, communication (Ethernet, Serial, MIL-STD-1553), and reconfigurable FPGA options
- Low-power consumption
- Solid-state electronics
- -40 to 70°C standard operating temperature
- Conduction-cooled option available
- Mix and match I/O combinations in a single slot by using our CompactPCI® Serial, Mini-ITX Com Express Type 10, PCIe, XMC or VPX carriers

Size = 70mm x 30mm

Weight = .05 oz. avg

and

Power = <5 watts per module

Cost = Starting at \$395

AcroPack modules **snap** onto AcroPack carriers, **eliminating** messy ribbon cables.



These modules are just **70mm** long.



Visit Acromag.com/AcroPacks
TO LEARN MORE

AcroPack Series Selection Guide

Series Number	Inputs	Outputs	Comments
Analog Modules			
<u>AP220</u> / <u>AP231</u>		16 channels	12-bit / 16-bit DAC; -40 to +85°C
<u>AP225</u> / <u>AP235</u>		16 channels	12-bit / 16-bit DAC with waveform memory; -40 to +75°C
<u>AP226</u> / <u>AP236</u>		8 isolated channels	12-bit / 16-bit DAC; -40 to +85°C
<u>AP323</u>	High-density; 20 differential or 40 single-ended channels		16-bit ADC; -40 to +85°C
<u>AP341</u>	Eight simultaneous sample-and-hold channels		14-bit ADC; -40 to +85°C
<u>AP342</u>	Six simultaneous isolated channels		14-bit ADC; -40 to +85°C
Digital Modules			
<u>AP408</u>	32 bidirectional high-voltage channels		TTL, 0 to 60V DC; -40 to +85°C
<u>AP418</u>	16 channels		Source/sink; -40 to +85°C
<u>AP441</u>	32 isolated channels		-40 to +85°C
<u>AP445</u>		32 isolated bipolar solid-state relays	0 to ±60V voltage range; -40 to +85°C
<u>AP471</u>	48 bidirectional channels, TTL	48 bidirectional channels, CMOS	0 to 5V DC; -40 to +85°C
Counter/Timer Mode	ules		
<u>AP482</u> / <u>AP483</u> / <u>AP484</u>	Ten TTL channels / Five TTL and three RS422 channels / Six RS422 channels		32-bit; -40 to +85°C
Communication Mod	dules		
<u>AP500</u> / <u>AP520</u>	Four / eight RS232 ports		256-byte FIFOs; -40 to +85°C
<u>AP512</u> / <u>AP513</u>	Four isolated asynchronous, full duplex RS232 / RS422B serial ports (supports RS485)		256-byte FIFOs; -40 to +85°C
<u>AP522</u>	Eight RS422/485 asynchronous serial ports		256-byte FIFOs; -40 to +85°C
<u>AP560</u>	Four isolated CAN channels		-40 to +71°C
<u>AP570</u>	One dual redundant MIL-STD-1553 communication channel		Single or multi-function options; -40 to +85°C
<u>AP580</u>	Single Ethernet port		1Gb Ethernet with optional PoE; -40 to +70°C
Reconfigurable Xilin	x® FPGA Modules		
<u>APA7-501</u> / <u>502</u> / <u>503</u> / <u>504</u>	48 TTL / 24 RS485/422 / 24 TTL & 12 RS485/422 / 24 LVDS channels. 52k logic cells.		Artix-7®, -40 to +85°C
APZU-301 / 303 / 304	28 TTL / 20 TTL and three RS485/422 / 14 LVDS channels. Up to 154k logic cells.		Zync® Ultrascale + MPSoC. Dual-core ARM Cortex A53-based application professor unit (APU).
Multi-function Modu	ules		
<u>AP730</u>	16 bidirectional digital I/O, one multi-funciton 32-bit counter/timer. Eight analog diffferential inputs, four analog outputs.		
Carrier Cards			
<u>ACEX4041</u>	COM Express Type 10 Mini ITX, holds four AP modules. Front panel I/O		Development Lab System option, -40 to +85°C
<u>APCe7012 / 22 / 40 / 43</u>	PCI Express carrier; holds up to four AP modules	Front panel I/O	APCe7043 is 3/4-length ; -40 to +85°C
<u>ACPS3310</u> / <u>20</u>	3U CompactPCI Serial carrier; holds two AP modules	Front or rear panel I/O	Isolated, -40 to 85°C
<u>VPX4500</u>	3U VPX Bus carrier; holds three AP modules	Front <i>or</i> rear panel I/O	Air or conduction-cooled options; -40 to +85°C
<u>VPX4520</u> / <u>21</u>	6U VPX Bus carrier; holds four AP modules and one XMC module	Front <i>or</i> rear panel I/O	Air or conduction-cooled options; -40 to +85°C
XMCAP2020 / 21 / 22	XMC carrier; holds two AP modules	Front or rear panel I/O	Air cooled; -40 to +70°C
Software Support			
APSW-API-VXW / WIN / LNX	VxWorks™ software support package / Windows® DDL driver software support package / Linux® support (website download only)		

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

