


HP 83437A

## Broadband Light Source - Options 705, 002, 003, 004



Limited Availability  
Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/50048-20>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source  
for quality pre-owned  
equipment.

**Artisan Technology Group**

(217) 352-9330 | [sales@artisanng.com](mailto:sales@artisanng.com) | [artisanng.com](http://artisanng.com)

- Critical and expedited services
- In stock / Ready-to-ship
- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



# **OPERATING AND SERVICE MANUAL**

## **SUPPLEMENT**

**Broadband Light Source**  
**Agilent 83437A Option H98**

**Part Number:**  
**83437-90005**  
**Printed: May 1997**

**Use this supplement with manual**  
**part number: 83437-90006**  
**Printed: July 1996**



## INTRODUCTION

This manual supplement describes the differences in the AGILENT 83437A Option H98 compared to the standard AGILENT 83437A. It also describes the manual changes necessary to document the AGILENT 83437A.

## DESCRIPTION

The AGILENT 83437A Option H98 is a standard Broadband Light Source that has been modified to minimize turn on transient overshoot.

This 87437A modification allows bias adjustment for best response via a front panel adjustment. A front panel adjustable resistor provides a means to lower the power only. When this control is set to the maximum position, counter clockwise, the 83437A-H98 will perform as a standard 83437A Broadband Light Source.

In all other respects the AGILENT 83437A Option H98 Broadband Light Source is identical to the standard AGILENT 83437A.

## MANUAL CHANGES NECESSARY TO DOCUMENT THE AGILENT 83437A H98

### CHAPTER 3, Specifications and Characteristics

Page 3-3; Specifications, Peak Density

Add: Minimum power per 10 nm.

**-15.0 dBm** 1308 $\pm$ 10nm &  
1550 $\pm$ 10nm

### SERVICE, Replaceable Parts:

Change: Source Driver Board from P/N 83437-60010 to  
P/N 83437-60028

Change: Modulator Board from P/N 83437-60011 to  
P/N 83437-60029.

Add: 10K ohm pot P/N 2100-3414

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at [artisanth.com](https://www.artisanth.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

**We're here to make your life easier. How can we help you today?**

(217) 352-9330 | [sales@artisanth.com](mailto:sales@artisanth.com) | [artisanth.com](https://www.artisanth.com)

