ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Anritsu MP1630B* at our website: ***Click HERE***

MP1630B Selftest Data

********** Start Data **********
Start Time 08-02-05 13:03:03 End Time 08-02-05 13:47:12
Slot1:MU163000A 200M CLOCK GENERATOR Slot2:None
Slot3:MU163020B 200M 16CH PPG Slot4:MU163040B 200M 16CH ED

Comment :

********** Result Data **********
Output Mode = ALL_LIST (Passed & Failed)

(No.)	Code	Result	Message
(1)	01-0101-01	Passed	EXT Clock Loss Test
(2)	01-0102-01	Passed	PLL Unlock Alarm Test
(3)	01-0102-02	Passed	PLL Unlock Test [100M - 105MHz]
(4)	01-0102-03	Passed	PLL Unlock Test [105M - 200MHz]
(5)	01-0201-01	Passed	PPG Clock Loss Alarm Test
(6)	01-0201-02	Passed	PPG Clock Loss Normal Test
(7)	01-0301-01	Passed	[CH01] Clock Loss Alarm Test
(8)	01-0301-01	Passed	[CH02] Clock Loss Alarm Test
(9)	01-0301-01	Passed	[CH03] Clock Loss Alarm Test
(10)	01-0301-01	Passed	[CH04] Clock Loss Alarm Test
(11)	01-0301-01	Passed	[CH05] Clock Loss Alarm Test
(12)	01-0301-01	Passed	[CH06] Clock Loss Alarm Test
(13)	01-0301-01	Passed	[CH07] Clock Loss Alarm Test
(14)	01-0301-01	Passed	[CH08] Clock Loss Alarm Test
(15)	01-0301-01	Passed	[CH09] Clock Loss Alarm Test
(16)	01-0301-01	Passed	[CH10] Clock Loss Alarm Test
(17)	01-0301-01	Passed	[CH11] Clock Loss Alarm Test
(18)	01-0301-01	Passed	[CH12] Clock Loss Alarm Test
(19)	01-0301-01	Passed	[CH13] Clock Loss Alarm Test
(20)	01-0301-01	Passed	[CH14] Clock Loss Alarm Test
(21)	01-0301-01	Passed	[CH15] Clock Loss Alarm Test
(22)	01-0301-01	Passed	[CH16] Clock Loss Alarm Test
(23)	01-0301-02	Passed	[CH01] Clock Loss Normal Test
(24)	01-0301-02	Passed	[CH02] Clock Loss Normal Test
(25)	01-0301-02	Passed	[CH03] Clock Loss Normal Test
(26)	01-0301-02	Passed	[CH04] Clock Loss Normal Test
(27)	01-0301-02	Passed	[CH05] Clock Loss Normal Test
(28)	01-0301-02	Passed	[CH06] Clock Loss Normal Test
(29)	01-0301-02	Passed	[CH07] Clock Loss Normal Test
(30)	01-0301-02	Passed	[CH08] Clock Loss Normal Test
(31)	01-0301-02	Passed	[CH09] Clock Loss Normal Test
(32)	01-0301-02	Passed	[CH10] Clock Loss Normal Test
(33)	01-0301-02	Passed	[CH11] Clock Loss Normal Test
(34)	01-0301-02	Passed	[CH12] Clock Loss Normal Test
(35)	01-0301-02	Passed	[CH13] Clock Loss Normal Test
(36)	01-0301-02	Passed	[CH14] Clock Loss Normal Test
(37)	01-0301-02	Passed	[CH15] Clock Loss Normal Test
(38)	01-0301-02	Passed	[CH16] Clock Loss Normal Test
(39)	01-0302-01	Passed	ED Clock Loss Alarm Test

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(40) 01-0302-02 Passed ED Clock Loss Normal Test
(41) 02-0101-01 Passed Frequency Accuracy Test [100M - 105MHz]
(42) 02-0101-02 Passed Frequency Accuracy Test [105M - 200MHz]
(43) 03-0101-01 Failed [CH01] Interface Level Test [ECL]
(44) 03-0101-01 Passed [CH02] Interface Level Test [ECL]
(45) 03-0101-01 Passed [CH03] Interface Level Test [ECL]
(46) 03-0101-01 Passed [CH04] Interface Level Test [ECL]
(47) 03-0101-01 Passed [CH05] Interface Level Test [ECL]
(48) 03-0101-01 Passed [CH06] Interface Level Test [ECL]
(49) 03-0101-01 Passed [CH07] Interface Level Test [ECL]
(50) 03-0101-01 Passed [CH08] Interface Level Test [ECL]
(51) 03-0101-01 Passed [CH09] Interface Level Test [ECL]
(52) 03-0101-01 Passed [CH10] Interface Level Test [ECL]
(53) 03-0101-01 Passed [CH11] Interface Level Test [ECL]
(54) 03-0101-01 Passed [CH12] Interface Level Test [ECL]
(55) 03-0101-01 Passed [CH13] Interface Level Test [ECL]
(56) 03-0101-01 Passed [CH14] Interface Level Test [ECL]
(57) 03-0101-01 Passed [CH15] Interface Level Test [ECL]
(58) 03-0101-01 Passed [CH16] Interface Level Test [ECL]
(59) 03-0102-01 Failed [CH01] Interface Level Test [PECL]
(60) 03-0102-01 Passed [CH02] Interface Level Test [PECL]
(61) 03-0102-01 Passed [CH03] Interface Level Test [PECL]
(62) 03-0102-01 Passed [CH04] Interface Level Test [PECL]
(63) 03-0102-01 Passed [CH05] Interface Level Test [PECL]
(64) 03-0102-01 Passed [CH06] Interface Level Test [PECL]
(65) 03-0102-01 Passed [CH07] Interface Level Test [PECL]
(66) 03-0102-01 Passed [CH08] Interface Level Test [PECL]
(67) 03-0102-01 Passed [CH09] Interface Level Test [PECL]
(68) 03-0102-01 Passed [CH10] Interface Level Test [PECL]
(69) 03-0102-01 Passed [CH11] Interface Level Test [PECL]
(70) 03-0102-01 Passed [CH12] Interface Level Test [PECL]
(71) 03-0102-01 Passed [CH13] Interface Level Test [PECL]
(72) 03-0102-01 Passed [CH14] Interface Level Test [PECL]
(73) 03-0102-01 Passed [CH15] Interface Level Test [PECL]
(74) 03-0102-01 Passed [CH16] Interface Level Test [PECL]
(75) 03-0103-01 Failed [CH01] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(76) 03-0103-01 Passed [CH02] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(77) 03-0103-01 Passed [CH03] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(78) 03-0103-01 Passed [CH04] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(79) 03-0103-01 Passed [CH05] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(80) 03-0103-01 Passed [CH06] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(81) 03-0103-01 Passed [CH07] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(82) 03-0103-01 Passed [CH08] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(83) 03-0103-01 Passed [CH09] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(84) 03-0103-01 Passed [CH10] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(85) 03-0103-01 Passed [CH11] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(86) 03-0103-01 Passed [CH12] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(87) 03-0103-01 Passed [CH13] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(88) 03-0103-01 Passed [CH14] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(89) 03-0103-01 Passed [CH15] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(90) 03-0103-01 Passed [CH16] Interface Level Test [2.50Vp-p/Vth= 1.250V]
(91) 03-0103-02 Failed [CH01] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(92) 03-0103-02 Passed [CH02] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(93) 03-0103-02 Passed [CH03] Interface Level Test [2.50Vp-p/Vth= 0.750V]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(94) 03-0103-02 Passed [CH04] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(95) 03-0103-02 Passed [CH05] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(96) 03-0103-02 Passed [CH06] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(97) 03-0103-02 Passed [CH07] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(98) 03-0103-02 Passed [CH08] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(99) 03-0103-02 Passed [CH09] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(100) 03-0103-02 Passed [CH10] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(101) 03-0103-02 Passed [CH11] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(102) 03-0103-02 Passed [CH12] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(103) 03-0103-02 Passed [CH13] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(104) 03-0103-02 Passed [CH14] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(105) 03-0103-02 Passed [CH15] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(106) 03-0103-02 Passed [CH16] Interface Level Test [2.50Vp-p/Vth= 0.750V]
(107) 03-0103-03 Failed [CH01] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(108) 03-0103-03 Passed [CH02] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(109) 03-0103-03 Passed [CH03] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(110) 03-0103-03 Passed [CH04] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(111) 03-0103-03 Passed [CH05] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(112) 03-0103-03 Passed [CH06] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(113) 03-0103-03 Passed [CH07] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(114) 03-0103-03 Passed [CH08] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(115) 03-0103-03 Passed [CH09] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(116) 03-0103-03 Passed [CH10] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(117) 03-0103-03 Passed [CH11] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(118) 03-0103-03 Passed [CH12] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(119) 03-0103-03 Passed [CH13] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(120) 03-0103-03 Passed [CH14] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(121) 03-0103-03 Passed [CH15] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(122) 03-0103-03 Passed [CH16] Interface Level Test [2.50Vp-p/Vth= 1.750V]
(123) 03-0104-01 Failed [CH01] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(124) 03-0104-01 Passed [CH02] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(125) 03-0104-01 Passed [CH03] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(126) 03-0104-01 Passed [CH04] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(127) 03-0104-01 Passed [CH05] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(128) 03-0104-01 Passed [CH06] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(129) 03-0104-01 Passed [CH07] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(130) 03-0104-01 Passed [CH08] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(131) 03-0104-01 Passed [CH09] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(132) 03-0104-01 Passed [CH10] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(133) 03-0104-01 Passed [CH11] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(134) 03-0104-01 Passed [CH12] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(135) 03-0104-01 Passed [CH13] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(136) 03-0104-01 Passed [CH14] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(137) 03-0104-01 Passed [CH15] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(138) 03-0104-01 Passed [CH16] Interface Level Test [2.50Vp-p/Vth= 0.000V]
(139) 03-0104-02 Failed [CH01] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(140) 03-0104-02 Passed [CH02] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(141) 03-0104-02 Passed [CH03] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(142) 03-0104-02 Passed [CH04] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(143) 03-0104-02 Passed [CH05] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(144) 03-0104-02 Passed [CH06] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(145) 03-0104-02 Passed [CH07] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(146) 03-0104-02 Passed [CH08] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(147) 03-0104-02 Passed [CH09] Interface Level Test [2.50Vp-p/Vth= 0.500V]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(148) 03-0104-02 Passed [CH10] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(149) 03-0104-02 Passed [CH11] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(150) 03-0104-02 Passed [CH12] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(151) 03-0104-02 Passed [CH13] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(152) 03-0104-02 Passed [CH14] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(153) 03-0104-02 Passed [CH15] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(154) 03-0104-02 Passed [CH16] Interface Level Test [2.50Vp-p/Vth= 0.500V]
(155) 03-0104-03 Failed [CH01] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(156) 03-0104-03 Passed [CH02] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(157) 03-0104-03 Passed [CH03] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(158) 03-0104-03 Passed [CH04] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(159) 03-0104-03 Passed [CH05] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(160) 03-0104-03 Passed [CH06] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(161) 03-0104-03 Passed [CH07] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(162) 03-0104-03 Passed [CH08] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(163) 03-0104-03 Passed [CH09] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(164) 03-0104-03 Passed [CH10] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(165) 03-0104-03 Passed [CH11] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(166) 03-0104-03 Passed [CH12] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(167) 03-0104-03 Passed [CH13] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(168) 03-0104-03 Passed [CH14] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(169) 03-0104-03 Passed [CH15] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(170) 03-0104-03 Passed [CH16] Interface Level Test [2.50Vp-p/Vth=-0.500V]
(171) 03-0105-01 Failed [CH01] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(172) 03-0105-01 Passed [CH02] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(173) 03-0105-01 Passed [CH03] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(174) 03-0105-01 Passed [CH04] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(175) 03-0105-01 Passed [CH05] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(176) 03-0105-01 Passed [CH06] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(177) 03-0105-01 Passed [CH07] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(178) 03-0105-01 Passed [CH08] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(179) 03-0105-01 Passed [CH09] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(180) 03-0105-01 Passed [CH10] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(181) 03-0105-01 Passed [CH11] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(182) 03-0105-01 Passed [CH12] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(183) 03-0105-01 Passed [CH13] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(184) 03-0105-01 Passed [CH14] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(185) 03-0105-01 Passed [CH15] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(186) 03-0105-01 Passed [CH16] Interface Level Test [2.50Vp-p/Vth=-1.250V]
(187) 03-0105-02 Failed [CH01] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(188) 03-0105-02 Passed [CH02] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(189) 03-0105-02 Passed [CH03] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(190) 03-0105-02 Passed [CH04] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(191) 03-0105-02 Passed [CH05] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(192) 03-0105-02 Passed [CH06] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(193) 03-0105-02 Passed [CH07] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(194) 03-0105-02 Passed [CH08] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(195) 03-0105-02 Passed [CH09] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(196) 03-0105-02 Passed [CH10] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(197) 03-0105-02 Passed [CH11] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(198) 03-0105-02 Passed [CH12] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(199) 03-0105-02 Passed [CH13] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(200) 03-0105-02 Passed [CH14] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(201) 03-0105-02 Passed [CH15] Interface Level Test [2.50Vp-p/Vth=-0.750V]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(202) 03-0105-02 Passed [CH16] Interface Level Test [2.50Vp-p/Vth=-0.750V]
(203) 03-0105-03 Failed [CH01] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(204) 03-0105-03 Passed [CH02] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(205) 03-0105-03 Passed [CH03] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(206) 03-0105-03 Passed [CH04] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(207) 03-0105-03 Passed [CH05] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(208) 03-0105-03 Passed [CH06] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(209) 03-0105-03 Passed [CH07] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(210) 03-0105-03 Passed [CH08] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(211) 03-0105-03 Passed [CH09] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(212) 03-0105-03 Passed [CH10] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(213) 03-0105-03 Passed [CH11] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(214) 03-0105-03 Passed [CH12] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(215) 03-0105-03 Passed [CH13] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(216) 03-0105-03 Passed [CH14] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(217) 03-0105-03 Passed [CH15] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(218) 03-0105-03 Passed [CH16] Interface Level Test [2.50Vp-p/Vth=-1.750V]
(219) 03-0106-01 Failed [CH01] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(220) 03-0106-01 Passed [CH02] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(221) 03-0106-01 Passed [CH03] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(222) 03-0106-01 Passed [CH04] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(223) 03-0106-01 Passed [CH05] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(224) 03-0106-01 Passed [CH06] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(225) 03-0106-01 Passed [CH07] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(226) 03-0106-01 Passed [CH08] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(227) 03-0106-01 Passed [CH09] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(228) 03-0106-01 Passed [CH10] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(229) 03-0106-01 Passed [CH11] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(230) 03-0106-01 Passed [CH12] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(231) 03-0106-01 Passed [CH13] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(232) 03-0106-01 Passed [CH14] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(233) 03-0106-01 Passed [CH15] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(234) 03-0106-01 Passed [CH16] Interface Level Test [0.50Vp-p/Vth= 2.250V]
(235) 03-0107-01 Failed [CH01] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(236) 03-0107-01 Passed [CH02] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(237) 03-0107-01 Passed [CH03] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(238) 03-0107-01 Passed [CH04] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(239) 03-0107-01 Passed [CH05] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(240) 03-0107-01 Passed [CH06] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(241) 03-0107-01 Passed [CH07] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(242) 03-0107-01 Passed [CH08] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(243) 03-0107-01 Passed [CH09] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(244) 03-0107-01 Passed [CH10] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(245) 03-0107-01 Passed [CH11] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(246) 03-0107-01 Passed [CH12] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(247) 03-0107-01 Passed [CH13] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(248) 03-0107-01 Passed [CH14] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(249) 03-0107-01 Passed [CH15] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(250) 03-0107-01 Passed [CH16] Interface Level Test [0.50Vp-p/Vth=-2.250V]
(251) 04-0101-02 Passed [CH02] Sync Test [PRBS]
(252) 04-0101-02 Passed [CH03] Sync Test [PRBS]
(253) 04-0101-02 Passed [CH04] Sync Test [PRBS]
(254) 04-0101-02 Passed [CH05] Sync Test [PRBS]
(255) 04-0101-02 Passed [CH06] Sync Test [PRBS]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(256) 04-0101-02 Passed [CH07] Sync Test [PRBS]
(257) 04-0101-02 Passed [CH08] Sync Test [PRBS]
(258) 04-0101-02 Passed [CH09] Sync Test [PRBS]
(259) 04-0101-02 Passed [CH10] Sync Test [PRBS]
(260) 04-0101-02 Passed [CH11] Sync Test [PRBS]
(261) 04-0101-02 Passed [CH12] Sync Test [PRBS]
(262) 04-0101-02 Passed [CH13] Sync Test [PRBS]
(263) 04-0101-02 Passed [CH14] Sync Test [PRBS]
(264) 04-0101-02 Passed [CH15] Sync Test [PRBS]
(265) 04-0101-02 Passed [CH16] Sync Test [PRBS]
(266) 04-0102-02 Passed [CH02] Sync Test [PRGM Normal]
(267) 04-0102-02 Passed [CH03] Sync Test [PRGM Normal]
(268) 04-0102-02 Passed [CH04] Sync Test [PRGM Normal]
(269) 04-0102-02 Passed [CH05] Sync Test [PRGM Normal]
(270) 04-0102-02 Passed [CH06] Sync Test [PRGM Normal]
(271) 04-0102-02 Passed [CH07] Sync Test [PRGM Normal]
(272) 04-0102-02 Passed [CH08] Sync Test [PRGM Normal]
(273) 04-0102-02 Passed [CH09] Sync Test [PRGM Normal]
(274) 04-0102-02 Passed [CH10] Sync Test [PRGM Normal]
(275) 04-0102-02 Passed [CH11] Sync Test [PRGM Normal]
(276) 04-0102-02 Passed [CH12] Sync Test [PRGM Normal]
(277) 04-0102-02 Passed [CH13] Sync Test [PRGM Normal]
(278) 04-0102-02 Passed [CH14] Sync Test [PRGM Normal]
(279) 04-0102-02 Passed [CH15] Sync Test [PRGM Normal]
(280) 04-0102-02 Passed [CH16] Sync Test [PRGM Normal]
(281) 04-0103-02 Passed [CH02] Sync Test [PRGM Frame]
(282) 04-0103-02 Passed [CH03] Sync Test [PRGM Frame]
(283) 04-0103-02 Passed [CH04] Sync Test [PRGM Frame]
(284) 04-0103-02 Passed [CH05] Sync Test [PRGM Frame]
(285) 04-0103-02 Passed [CH06] Sync Test [PRGM Frame]
(286) 04-0103-02 Passed [CH07] Sync Test [PRGM Frame]
(287) 04-0103-02 Passed [CH08] Sync Test [PRGM Frame]
(288) 04-0103-02 Passed [CH09] Sync Test [PRGM Frame]
(289) 04-0103-02 Passed [CH10] Sync Test [PRGM Frame]
(290) 04-0103-02 Passed [CH11] Sync Test [PRGM Frame]
(291) 04-0103-02 Passed [CH12] Sync Test [PRGM Frame]
(292) 04-0103-02 Passed [CH13] Sync Test [PRGM Frame]
(293) 04-0103-02 Passed [CH14] Sync Test [PRGM Frame]
(294) 04-0103-02 Passed [CH15] Sync Test [PRGM Frame]
(295) 04-0103-02 Passed [CH16] Sync Test [PRGM Frame]
(296) 05-0101-02 Passed [CH02] PRBS Sync Loss Threshold Test [1E-6]
(297) 05-0101-02 Passed [CH03] PRBS Sync Loss Threshold Test [1E-6]
(298) 05-0101-02 Passed [CH04] PRBS Sync Loss Threshold Test [1E-6]
(299) 05-0101-02 Passed [CH05] PRBS Sync Loss Threshold Test [1E-6]
(300) 05-0101-02 Passed [CH06] PRBS Sync Loss Threshold Test [1E-6]
(301) 05-0101-02 Passed [CH07] PRBS Sync Loss Threshold Test [1E-6]
(302) 05-0101-02 Passed [CH08] PRBS Sync Loss Threshold Test [1E-6]
(303) 05-0101-02 Passed [CH09] PRBS Sync Loss Threshold Test [1E-6]
(304) 05-0101-02 Passed [CH10] PRBS Sync Loss Threshold Test [1E-6]
(305) 05-0101-02 Passed [CH11] PRBS Sync Loss Threshold Test [1E-6]
(306) 05-0101-02 Passed [CH12] PRBS Sync Loss Threshold Test [1E-6]
(307) 05-0101-02 Passed [CH13] PRBS Sync Loss Threshold Test [1E-6]
(308) 05-0101-02 Passed [CH14] PRBS Sync Loss Threshold Test [1E-6]
(309) 05-0101-02 Passed [CH15] PRBS Sync Loss Threshold Test [1E-6]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(310) 05-0101-02 Passed [CH16] PRBS Sync Loss Threshold Test [1E-6]
(311) 05-0102-02 Passed [CH02] PRBS Sync Loss Threshold Test [1E-2]
(312) 05-0102-02 Passed [CH03] PRBS Sync Loss Threshold Test [1E-2]
(313) 05-0102-02 Passed [CH04] PRBS Sync Loss Threshold Test [1E-2]
(314) 05-0102-02 Passed [CH05] PRBS Sync Loss Threshold Test [1E-2]
(315) 05-0102-02 Passed [CH06] PRBS Sync Loss Threshold Test [1E-2]
(316) 05-0102-02 Passed [CH07] PRBS Sync Loss Threshold Test [1E-2]
(317) 05-0102-02 Passed [CH08] PRBS Sync Loss Threshold Test [1E-2]
(318) 05-0102-02 Passed [CH09] PRBS Sync Loss Threshold Test [1E-2]
(319) 05-0102-02 Passed [CH10] PRBS Sync Loss Threshold Test [1E-2]
(320) 05-0102-02 Passed [CH11] PRBS Sync Loss Threshold Test [1E-2]
(321) 05-0102-02 Passed [CH12] PRBS Sync Loss Threshold Test [1E-2]
(322) 05-0102-02 Passed [CH13] PRBS Sync Loss Threshold Test [1E-2]
(323) 05-0102-02 Passed [CH14] PRBS Sync Loss Threshold Test [1E-2]
(324) 05-0102-02 Passed [CH15] PRBS Sync Loss Threshold Test [1E-2]
(325) 05-0102-02 Passed [CH16] PRBS Sync Loss Threshold Test [1E-2]
(326) 05-0103-02 Passed [CH02] PRGM Sync Loss Threshold Test [1E-6]
(327) 05-0103-02 Passed [CH03] PRGM Sync Loss Threshold Test [1E-6]
(328) 05-0103-02 Passed [CH04] PRGM Sync Loss Threshold Test [1E-6]
(329) 05-0103-02 Passed [CH05] PRGM Sync Loss Threshold Test [1E-6]
(330) 05-0103-02 Passed [CH06] PRGM Sync Loss Threshold Test [1E-6]
(331) 05-0103-02 Passed [CH07] PRGM Sync Loss Threshold Test [1E-6]
(332) 05-0103-02 Passed [CH08] PRGM Sync Loss Threshold Test [1E-6]
(333) 05-0103-02 Passed [CH09] PRGM Sync Loss Threshold Test [1E-6]
(334) 05-0103-02 Passed [CH10] PRGM Sync Loss Threshold Test [1E-6]
(335) 05-0103-02 Passed [CH11] PRGM Sync Loss Threshold Test [1E-6]
(336) 05-0103-02 Passed [CH12] PRGM Sync Loss Threshold Test [1E-6]
(337) 05-0103-02 Passed [CH13] PRGM Sync Loss Threshold Test [1E-6]
(338) 05-0103-02 Passed [CH14] PRGM Sync Loss Threshold Test [1E-6]
(339) 05-0103-02 Passed [CH15] PRGM Sync Loss Threshold Test [1E-6]
(340) 05-0103-02 Passed [CH16] PRGM Sync Loss Threshold Test [1E-6]
(341) 05-0104-02 Passed [CH02] PRGM Sync Loss Threshold Test [1E-2]
(342) 05-0104-02 Passed [CH03] PRGM Sync Loss Threshold Test [1E-2]
(343) 05-0104-02 Passed [CH04] PRGM Sync Loss Threshold Test [1E-2]
(344) 05-0104-02 Passed [CH05] PRGM Sync Loss Threshold Test [1E-2]
(345) 05-0104-02 Passed [CH06] PRGM Sync Loss Threshold Test [1E-2]
(346) 05-0104-02 Passed [CH07] PRGM Sync Loss Threshold Test [1E-2]
(347) 05-0104-02 Passed [CH08] PRGM Sync Loss Threshold Test [1E-2]
(348) 05-0104-02 Passed [CH09] PRGM Sync Loss Threshold Test [1E-2]
(349) 05-0104-02 Passed [CH10] PRGM Sync Loss Threshold Test [1E-2]
(350) 05-0104-02 Passed [CH11] PRGM Sync Loss Threshold Test [1E-2]
(351) 05-0104-02 Passed [CH12] PRGM Sync Loss Threshold Test [1E-2]
(352) 05-0104-02 Passed [CH13] PRGM Sync Loss Threshold Test [1E-2]
(353) 05-0104-02 Passed [CH14] PRGM Sync Loss Threshold Test [1E-2]
(354) 05-0104-02 Passed [CH15] PRGM Sync Loss Threshold Test [1E-2]
(355) 05-0104-02 Passed [CH16] PRGM Sync Loss Threshold Test [1E-2]
(356) 06-0101-02 Passed [CH02] Error ADD/DET Test [Single]
(357) 06-0101-02 Passed [CH03] Error ADD/DET Test [Single]
(358) 06-0101-02 Passed [CH04] Error ADD/DET Test [Single]
(359) 06-0101-02 Passed [CH05] Error ADD/DET Test [Single]
(360) 06-0101-02 Passed [CH06] Error ADD/DET Test [Single]
(361) 06-0101-02 Passed [CH07] Error ADD/DET Test [Single]
(362) 06-0101-02 Passed [CH08] Error ADD/DET Test [Single]
(363) 06-0101-02 Passed [CH09] Error ADD/DET Test [Single]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(364) 06-0101-02 Passed [CH10] Error ADD/DET Test [Single]
(365) 06-0101-02 Passed [CH11] Error ADD/DET Test [Single]
(366) 06-0101-02 Passed [CH12] Error ADD/DET Test [Single]
(367) 06-0101-02 Passed [CH13] Error ADD/DET Test [Single]
(368) 06-0101-02 Passed [CH14] Error ADD/DET Test [Single]
(369) 06-0101-02 Passed [CH15] Error ADD/DET Test [Single]
(370) 06-0101-02 Passed [CH16] Error ADD/DET Test [Single]
(371) 06-0102-02 Passed [CH02] Error ADD/DET Test [1E-3]
(372) 06-0102-02 Passed [CH03] Error ADD/DET Test [1E-3]
(373) 06-0102-02 Passed [CH04] Error ADD/DET Test [1E-3]
(374) 06-0102-02 Passed [CH05] Error ADD/DET Test [1E-3]
(375) 06-0102-02 Passed [CH06] Error ADD/DET Test [1E-3]
(376) 06-0102-02 Passed [CH07] Error ADD/DET Test [1E-3]
(377) 06-0102-02 Passed [CH08] Error ADD/DET Test [1E-3]
(378) 06-0102-02 Passed [CH09] Error ADD/DET Test [1E-3]
(379) 06-0102-02 Passed [CH10] Error ADD/DET Test [1E-3]
(380) 06-0102-02 Passed [CH11] Error ADD/DET Test [1E-3]
(381) 06-0102-02 Passed [CH12] Error ADD/DET Test [1E-3]
(382) 06-0102-02 Passed [CH13] Error ADD/DET Test [1E-3]
(383) 06-0102-02 Passed [CH14] Error ADD/DET Test [1E-3]
(384) 06-0102-02 Passed [CH15] Error ADD/DET Test [1E-3]
(385) 06-0102-02 Passed [CH16] Error ADD/DET Test [1E-3]
(386) 06-0103-02 Passed [CH02] Error ADD/DET Test [1E-9]
(387) 06-0103-02 Passed [CH03] Error ADD/DET Test [1E-9]
(388) 06-0103-02 Passed [CH04] Error ADD/DET Test [1E-9]
(389) 06-0103-02 Passed [CH05] Error ADD/DET Test [1E-9]
(390) 06-0103-02 Passed [CH06] Error ADD/DET Test [1E-9]
(391) 06-0103-02 Passed [CH07] Error ADD/DET Test [1E-9]
(392) 06-0103-02 Passed [CH08] Error ADD/DET Test [1E-9]
(393) 06-0103-02 Passed [CH09] Error ADD/DET Test [1E-9]
(394) 06-0103-02 Passed [CH10] Error ADD/DET Test [1E-9]
(395) 06-0103-02 Passed [CH11] Error ADD/DET Test [1E-9]
(396) 06-0103-02 Passed [CH12] Error ADD/DET Test [1E-9]
(397) 06-0103-02 Passed [CH13] Error ADD/DET Test [1E-9]
(398) 06-0103-02 Passed [CH14] Error ADD/DET Test [1E-9]
(399) 06-0103-02 Passed [CH15] Error ADD/DET Test [1E-9]
(400) 06-0103-02 Passed [CH16] Error ADD/DET Test [1E-9]
(401) 06-0104-03 Passed [CH02] Error ADD/DET Test [Insertion]
(402) 06-0104-03 Passed [CH03] Error ADD/DET Test [Insertion]
(403) 06-0104-03 Passed [CH04] Error ADD/DET Test [Insertion]
(404) 06-0104-03 Passed [CH05] Error ADD/DET Test [Insertion]
(405) 06-0104-03 Passed [CH06] Error ADD/DET Test [Insertion]
(406) 06-0104-03 Passed [CH07] Error ADD/DET Test [Insertion]
(407) 06-0104-03 Passed [CH08] Error ADD/DET Test [Insertion]
(408) 06-0104-03 Passed [CH09] Error ADD/DET Test [Insertion]
(409) 06-0104-03 Passed [CH10] Error ADD/DET Test [Insertion]
(410) 06-0104-03 Passed [CH11] Error ADD/DET Test [Insertion]
(411) 06-0104-03 Passed [CH12] Error ADD/DET Test [Insertion]
(412) 06-0104-03 Passed [CH13] Error ADD/DET Test [Insertion]
(413) 06-0104-03 Passed [CH14] Error ADD/DET Test [Insertion]
(414) 06-0104-03 Passed [CH15] Error ADD/DET Test [Insertion]
(415) 06-0104-03 Passed [CH16] Error ADD/DET Test [Insertion]
(416) 06-0105-02 Passed [CH02] Error ADD/DET Test [Omission]
(417) 06-0105-02 Passed [CH03] Error ADD/DET Test [Omission]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

(418) 06-0105-02 Passed [CH04] Error ADD/DET Test [Omission]
(419) 06-0105-02 Passed [CH05] Error ADD/DET Test [Omission]
(420) 06-0105-02 Passed [CH06] Error ADD/DET Test [Omission]
(421) 06-0105-02 Passed [CH07] Error ADD/DET Test [Omission]
(422) 06-0105-02 Passed [CH08] Error ADD/DET Test [Omission]
(423) 06-0105-02 Passed [CH09] Error ADD/DET Test [Omission]
(424) 06-0105-02 Passed [CH10] Error ADD/DET Test [Omission]
(425) 06-0105-02 Passed [CH11] Error ADD/DET Test [Omission]
(426) 06-0105-02 Passed [CH12] Error ADD/DET Test [Omission]
(427) 06-0105-02 Passed [CH13] Error ADD/DET Test [Omission]
(428) 06-0105-02 Passed [CH14] Error ADD/DET Test [Omission]
(429) 06-0105-02 Passed [CH15] Error ADD/DET Test [Omission]
(430) 06-0105-02 Passed [CH16] Error ADD/DET Test [Omission]

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP