

Ascor 3000-510

## 4x384 Dual-Wire VXI Switch Matrix



**In Stock**

**Used and in Excellent Condition**

**Open Web Page**

<https://www.artisanng.com/57794-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source  
for quality pre-owned  
equipment.

**Artisan Technology Group**

(217) 352-9330 | [sales@artisanng.com](mailto:sales@artisanng.com) | [artisanng.com](http://artisanng.com)

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

The archive listing below is a compilation of existing part types currently produced as standard products by ASCOR. It is important to note that a wide variety of application specific part types have also been produced in a variety of industry interface platforms. As the quickest paper-to-product solution provider in the T & M business, we recognize that nearly every application is different. Fortunately, our core competencies range from DC to Light and by using modular design techniques that are easily reconfigured, our true strength lies in our ability to develop an application tailored solution at an off the shelf price.

Jump to: <a href="#">3000 Series</a> <a href="#">4000 series</a> <a href="#">7000 series</a> <a href="#">Top</a>		
VXI 3000 Series		
Type	Model	Module Description
Chassis	<a href="#">3013</a>	Rugged 13 slot, 1200/1500 watts w/rear door
Chassis	<a href="#">3013x</a>	High power 13 slot, 4000 watts
Chassis	<a href="#">3026</a>	Dual tier (top & bottom) 13 slots per level, with multiple power configurations
Digital	3000-22	Serial I/O
Digital	3000-23	Serial I/O with 8 channel mux
Digital	3000-31<	TTL I/O, 128/256 channel
Digital	3000-33	Data buffer
Digital	<a href="#">3000-41</a>	32 channel edge detector w/time stamp
Digital	<a href="#">3000-501</a>	Serial I/O
Digital	<a href="#">3000-502</a>	Serial I/O
Digital	<a href="#">3000-503</a>	High speed serial I/O, 4 channel, 2MB rate
Digital	<a href="#">3000-504</a>	Biphase 16 static I/O, 8 single - 8 differential, 2MB rate
Digital	<a href="#">3000-505</a>	Specialized peripheral interface - 2 gyro, 4 tachometer, 32 bit register, 10 bit optical
Digital	<a href="#">3000-506</a>	Specialized multi-function I/O - 2 channel differential 1:4, 2 channel differential 8:1, 2 channel differential 1:8, 4 channel 4:1 (single ended, differential out), 4 channel 4:1 (differential in/out) 24 differential drivers, clock & sync generator 16.384MHz
Digital	<a href="#">3000-507</a>	Specialized multi-purpose 28 serial inputs & 28 serial outputs, 2K x 32 bit FIFO for each channel, 2MB rate
Digital	3000-513	Specialized gyro serial I/O
Digital	3000-514	Specialized CCMIF I/O
Digital	3000-521	Low frequency digital I/O Programmable driver/receiver
Digital	3000-582	Specialized interface for upconverter
Digital	3000-61	128 channel I/O, CMOS
Digital	<a href="#">3000-62</a>	128 channel I/O, TTL
Digital	3000-63	128 channel I/O with open collector drivers
General Purpose	<a href="#">3000-04</a>	128 channel relay driver, 50V @ 500mA
General Purpose	<a href="#">3000-48</a>	Source 16 channel high power driver with programmable timer (pulse) 650W max. total
General Purpose	3000-49	Sink 16 channel high power driver with programmable timer (pulse) 650W max. total
General Purpose	<a href="#">3000-508</a>	1A source driver up to 64 channels optically isolated
General Purpose	3000-A308	80 channel driver replaces Tektronix 73A-308

General Purpose	3000-07	192 SPST, 2A
General Purpose	<a href="#">3000-12</a>	32 SPDT, 2A
General Purpose	3000-15	18 Coax SPST, 24 GP SPST (HG)
General Purpose	3000-20	32 Coax Form C, 12 SPDT
General Purpose	3000-4351	40 SPST, 10A replaces Tektronix VX4351
General Purpose	3000-4357	32 SPDT, 5A replaces Tektronix VX4357
General Purpose	3000-517	75 ohm, (24) Form A (4) Form C
General Purpose	3000-523	(12) Dual terminating switches -input/output
General Purpose	<a href="#">3000-53</a>	96 SPDT, 2A
General Purpose	3000-531	52) Form C in four groups: (16) Form C @ 250V (16) Form C @ 500V (16) Form C Coaxial (500MHz) (4) Form C @ 1000V
General Purpose	3000-56	Shielded, 64 SPDT
General Purpose	3000-60	High frequency, 32 DPDT, 2A
Matrix	3000-510	384 x 4 dual wire, 15MHZ
Matrix	3000-34	>2 x 128 Coax/Quad 2 x 32
Matrix	3000-14	Shielded, 48 x 8
Matrix	3000-17	Shielded, 32 x 4 dual wire
Matrix	3000-18	Shielded, 120 x 4 x 24 (4 slots)
Matrix	3000-25	(7) 2 x 6 coaxial matrices
Matrix	3000-28	10 x 48
Matrix	<a href="#">3000-30</a>	Dual 12 x 2, 6 x 2 Coaxial
Matrix	3000-35	High Frequency 8 x 10, 3 x 10 UHF (6) Form C with matrix termination
Matrix	<a href="#">3000-39</a>	High Frequency 8 x 10, 3 x 10 UHF (6) Star switches with matrix termination
Matrix	<a href="#">3000-515</a>	16 x 12 RF
Matrix	3000-522	Complex Measurement Matrix (4 slots) Inputs: 40 HV, 256 LV & 20HF channels Outputs: LF DMM, HF Digitizer, HF Counter, LF/HF interconnect
Matrix	3000-525	Quad 4 x 4 with switched shields
Matrix	3000-530	Shielded 408 x 10 x 48 (12 slots)
Matrix	3000-533	192 x 1 x 2 (5 slots)
Matrix, 2 wire	<a href="#">3000-44</a>	Shielded 2 x 128
Matrix, 2 wire	<a href="#">3000-45</a>	Shielded 4 x 64
Matrix, 2 wire	<a href="#">3000-47</a>	Shielded 8 x 32 (dual 8 x 16 optional)
Matrix, 2 wire	<a href="#">3000-52</a>	8 x 32 (dual 8 x 16 optional)
Matrix, 2 wire	<a href="#">3000-57</a>	4 x 64
Coaxial Matrix	<a href="#">3000-05</a>	36 x 2 matrix, 350MHz minimum
Coaxial Matrix	3000-06	Dual 18 x 2 matrix,, 350 MHz minimum
Microwave	3000-2124	(12) 1 x 4, 18GHz
Microwave	3000-2126	(12) 1 x 6, 18GHz
Microwave	3000-226	(2) 1 x 6, 18GHz
Microwave	3000-23236t	(3) 1 x 2, (3) 1 x 6, 18GHz, terminated
Microwave	>3000-236t	>(3) 1 x 6, 18GHz, terminated
Microwave	3000-2426	(2) 1 x 4, (2) 1 x 6, 18GHz
Microwave	3000-244	(4) 1 x 4, 18GHz
Microwave	>3000-244t	(4) 1 x 4, 18GHz, terminated
Microwave	3000-246	(4) 1 x 6, 18GHz
Microwave	3000-246t	(4) 1 x 6, 18GHz, terminated
Microwave	3000-264	(6) 1 x 4, 18GHz
Microwave	3000-266	(6) 1 x 6, 18GHz
Microwave	3000-26662t	(6) 1 x 6, (6) 1 x 2, 18GHz, terminated
Microwave	3000-284	(8) 1 x 4, 18GHz

Microwave	3000-286	(8) 1 x 6, 18GHz
Microwave	<a href="#">3000-2xx</a>	Multiple configurations, 18GHz and up
Microwave	3000-580	Four channel with frequency hopping filter
Microwave	3000-64	(6) 1 x 4, 8GHz
Microwave	3000-80	(6) 1 x 6, 18GHz
>Power Switch	<a href="#">3000-01</a>	>Quad 1 x 8 power distribution switch
Power Switch	<a href="#">3000-02</a>	96 SPST, 5A
Power Switch	<a href="#">3000-42</a>	48 SPDT, 5A
Power Switch	<a href="#">3000-43</a>	48 SPST, 10A
Power Switch	3000-59	32 SPDT, 10A
Programmable Resistor	<a href="#">3000-27</a>	10 channel
Programmable Resistor	<a href="#">3000-509</a>	64 channe (thermistor simulator)
RF	<a href="#">3000-54</a>	(12) 1 x 4 coaxial trees, 1.3GHz
>RF	<a href="#">3000-55</a>	4 x 4 matrix, 1.5GHz
RF	> <a href="#">3000-55a</a>	Dual 4 x 4 matrix, 1.5GHz
Tree	<a href="#">3000-03</a>	Coaxially shielded quad 1 x 30 with switched guards
Tree	<a href="#">3000-08</a>	Coaxially shielded quad 1 x 60 with switched guards
Tree	3000-09	Coaxially shielded quad 1 x 120 with switched guards
Tree	3000-13	Shielded (5) 1 x 96, 2 slots
Tree	3000-29	Coax (6) 1 x 6
Tree	<a href="#">3000-32</a>	Coax (4) 1 x 8, (8) 1 x 4, (8) 1 x 2
Tree	<a href="#">3000-46</a>	Mixed signal, 64 DPST (16) 1 x 8 or (8) 1 x 16 or (4) 1 x 32 or (2) 1 x 64
Tree, 2 wire	3000-66	Shielded (16) 1 x 4
Tree, 2 wire	3000-38	1 x 256 or multi-trees, 2 wire
Trees	3000-524	Shielded quad coax 1 x 12
Status	<a href="#">3000-16</a>	VXI status monitor with watchdog timer, 8 external channels, 4 power switches
Specialized Simulator	3000-19	Gyro simulator module
Specialized Switch	3000-21	DMM/FTIM instrument switch
Specialized Kit	3000-40	VXI prototyping kit
Specialized Interface	3000-511	VXI single slot external control interface

Jump to: [3000 Series](#) [4000 series](#) [7000 series](#) [Top](#)

## VXI 3000 Series Instrumentation

Type	Model	Module Description
Instrument	<a href="#">3801-1004</a>	DMM Carrier with M-Module Capability
Instrument	<a href="#">3801-1005</a>	DMM Carrier with M-Module Capability
Instrument	<a href="#">3802-1004</a>	DMM/LCR Carrier without M-Module Capability
Instrument	<a href="#">3802-1005</a>	DMM/LCR Carrier without M-Module Capability
Instrument	<a href="#">1001</a>	M-Module, A/D Converter
Instrument	<a href="#">1002</a>	M-Module, D/A Converter
Instrument	<a href="#">1003</a>	M-Module, Timer / Counter

Jump to: [3000 Series](#) [4000 series](#) [7000 series](#) [Top](#)

## VXI 4000 Series

### [General 4000 Series Data sheet](#)

Type	Model	Module Description
Multi-slot Module	4003	3 wide, 5/6 cards
Multi-slot Module	4004	4 slots, 7/8 cards
Multi-slot Module	4005	5 slots, 9/10 cards
Multi-slot Module	4006	6 slots, 11/13 cards
Multi-slot Module	4007	7 slots, 13/15 cards

Multi-slot Module	4008	8 slots, 15/17 cards
Carrier	4800	3 slot M-module carrier
Digital	4050	128 TTL I/O
Digital	4519	4 ch. Configurable HS serial bus, 2-4-6 wire
Feedthru	4518	Analog Bus Isolator
General Purpose	4048	48 SPDT
General Purpose	4064	64 SPST
General Purpose	4096	96 SPST
General Purpose	4148	48 SPDT
General Purpose	4507	(36) 1 x 2
General Purpose	4511	32 SPDT
Matrix	<a href="#">4510</a>	128 x 4 Dual Wire Matrix, 25 MHz (min)
Matrix	4116	4 x 16
Matrix	4132	4 x 32
>Matrix	4164	2 x 64
Matrix	4216	8 x 16, 2 wire
Matrix	4513	8 x 8, 4 pole star
Matrix	<a href="#">4524</a>	16 x 8 Crosspoint Matrix, 70 MHz (min)
Matrix	<a href="#">4525</a>	48 x 16 Matrix, 35 MHz (min)
Matrix	<a href="#">4526</a>	Six 1 x 4 RF switch trees, 1.5 GHz
Optical	4701	(4) 1 x 2
Power	4503	20 SPDT
Power	4504	20 SPST
Power	4505	(5) 1 x 4, 10A
Power	4506	(12) 1 x 4, 10A
Power	4514	8 channel, 4 wire mux monitor
>Star	4332<	(8)8 pole star
Star, 2 wire	4517	(8)10 pole star
Tree	4108	(12) 1 x 8
Tree	4208	(6) 1 x 8, 2 wire
td>	4508	(22) 1 x 4
Tree	4509	(17) 1 x 4, (5) 1 x 2
Tree	4515	(8) 1 x 6, 2 wire, 5A
Tree	4516	(10) 1 x 8, 5A
Tree, 2 wire	4512	Dual 1 x 32 w/interconnect
System Switch	<a href="#">4501</a>	50 resource card (8)3 pole star, (2)4 pole star, (2)5 pole star w/ 7 x 10 matrix 50 ohm coax
System Switch	<a href="#">4502</a>	2 wire resource card (16)4 pole star, (16)3 pole star, 2 wire w/ 8 x 10 matrix
Specialized Matrix	4901	48 to 8 channel matrix
Specialized Matrix	4902	12 channel coaxial matrix to 8 channel
Specialized Pass Thru	4903	8 channel bus isolator
Specialized Matrix	4904	48 to 8 channel matrix with crossover

Jump to: [3000 Series](#) [4000 series](#) [7000 series](#) [Top](#)

## VXI 7000 Series

### [General 7000 Series Data sheet](#)

Type	Model	Module Description
Digital	<a href="#">7016</a>	32 channel I/O
Digital	7028	96 channel static I/O
Driver	<a href="#">7017</a>	32 channel driver @ 500mA
General Purpose	7020	16 SPDT, 2A
General Purpose	7023	32 SPST, shielded
General Purpose	7018	32 SPST, 2A
Matrix	<a href="#">7012</a>	2 x 16

Matrix	<a href="#">7015</a>	1 x 16 x 2
Matrix	<a href="#">7022</a>	4 x 16
Matrix, 2 wire	<a href="#">7011</a>	2 x 16
Matrix, 2 wire	<a href="#">7013</a>	4 x 8
Matrix, 2 wire	7021	2 x 16
Matrix, 2 wire	7024	4 x 8, shielded
Power	<a href="#">7010</a>	8 SPDT, 10A
Power	7019	16 SPDT, 5A
RF	7201	1 x 4
RF	7202	1 x 4, terminated
RF	7203	2 SPDT
RF>	7204	Transfer
Tree	<a href="#">7014</a>	(4) 1 x 4 or (2) 1 x 8 or (1) 1 x 16
Tree	7026	32 x 1, 2 wire
Tree	7027	(4) 1 x 8 with combiner

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

**We're here to make your life easier. How can we help you today?**

(217) 352-9330 | [sales@artisanng.com](mailto:sales@artisanng.com) | [artisanng.com](https://www.artisanng.com)

