#### Bancomm bc635VME **Time and Frequency Processor**



In Stock

**Used and in Excellent Condition** 

**Open Web Page** 

https://www.artisantg.com/51881-1

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services
- In stock / Ready-to-ship

- · We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center

ARTISAN'
TECHNOLOGY GROUP

Your definitive source for quality pre-owned equipment.

**Artisan Technology Group** 

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.





# bc635/637VME & bc350/357VXI

### VME/VXI Time & Frequency Processors

#### **KEY FEATURES**

- 6U, Single Width VME or VXI Module
- · Optional VXI C-Size Configuration
- · GPS or Time Code Inputs
- · Time Code Output
- 1 PPS Pulse Rate Output/Interrupt
- Frequency Outputs (1, 5, 10 MHz)
- · External Event Capture/Interrupt
- Programmable Periodic Output/Interrupt
- Programmable Time Strobe Output/Interrupt
- · Battery Backed Clock
- Extensive Driver Support

Symmetricom's bc635/637VME and bc350/357VXI time and frequency processor modules provide precision time and frequency reference to the host computer and peripheral data acquisition systems. Time is acquired from either the GPS satellites using a supplied antenna/receiver (bc637VME and bc357VXI only) or from time code signals, typically IRIG B. Integration of the module is facilitated with optional drivers for several operating systems (see Options). Time is displayed on the front panel (hours, minutes, seconds) via LED digits.


Central to the operation of the module is a disciplined 10 MHz oscillator and 100 nanosecond clock. Current time (days to 100 nanoseconds) can be accessed across the bus with zero latency, which allows for very high speed time requests. The oscillator is rate matched (disciplined) to the input time

source and drives the precision 10 MHz frequency output and time code generator circuitry. If the time source is lost, the module will continue to maintain time (flywheel). If power is lost, a +/-10 PPM battery backed clock is available to maintain time.

Both time code generation and translation are supported. The generator supplies IRIG B or IRIG H time code output that is synchronized to the input time source. The translator decodes IRIG B, 2137 or XR3 time code inputs.

An event time capture feature provides a means of latching the time of an event input and/or generating a bus interrupt that is coincident with an external TTL pulse. The module can also be programmed to generate a periodic pulse rate/interrupt as well as to generate a strobe/interrupt at a single predetermined time.

The bc635/637VME & bc350/357VXI models will be discontinued July 30, 2004. The form, fit and function replacements are the TTM635/637VME & TTM350/357VXI models.



VME Time & Frequency Processor (shown with optional antenna/receiver, bc637VME or bc357VXI)

#### bc635/637VME - bc350/357VXI Specifications

#### **ELECTRICAL SPECIFICATIONS**

· Real time clock

Bus request resolution: 100 nanoseconds
Bus request latency: Zero
Major time format: Binary or BCD
Minor time format: Binary

• Time code translator

Time code formats: IRIG B (modulated or DCLS)

IRIG A (DCLS only)

XR3, 2137 (modulated only)

 $\begin{array}{ll} \mbox{Modulation ratio:} & 3:1 \mbox{ to } 6:1 \\ \mbox{Input amplitude:} & 500 \mbox{ mV to } 5 \mbox{ V P-P} \\ \mbox{Input impedance:} & > 10 \mbox{K}\Omega \mbox{ (AC coupled)} \end{array}$ 

· Time code generator

Time code format: IRIG B (modulated or DCLS)

IRIG H (DCLS only)

Modulation ratio: 3:

Output amplitude: 0 V to 10 V P-P (adjustable)

DC level shift: TTL/CMOS

· Timing functions

Heartbeat (TTL,  $50\Omega$ ): Programmable periodic

2.3 mHz to 2.5 MHz

Time strobe (TTL,  $50\Omega$ ): Programmable, 1mS through hrs Event capture (TTL,  $50\Omega$ ): 100 nS resolution, zero latency 1 PPS pulse rate (TTL,  $50\Omega$ ): Positive edge on-time

• Disciplined oscillator

Frequency: 10 MHz

Outputs (50): 1, 5, or 10 MHz (selectable)

Rate accuracy

Sync sources:

Standard VCXO: 5.0E-8 short term (tracking) 5.0E-7/day long term (flywheeling)

Optional oven oscillator: 2.0E-9 short term (tracking)

5.0E-8/day long term (flywheeling) GPS, time code, 1 PPS, 10 MHz

VME/VXI Bus

Size: 6Ux160 mm; B size, single width

Optional VXI-C configuration

Address space: A16, AM codes \$29 and \$2D,

64 bytes

Data transfer: D16

Interrupter: D08(0), I(1-7), ROAK

Power: +5 VDC @ 1.5 A

+12 VDC @ 50 mA

+12 VDC @ 250 mA (GPS)

-12 VDC @ 30 mA

• GPS Subsystem (bc637VME & bc357VXI only)

Time accuracy: <±1 microsecond

Position accuracy: 10 to 20 meters SEP (SA off)

Maximum velocity: 300 meters/second

(1,080 KPH)

Number of channels: 8

Receiver frequency: 1.757 GHz (L1, C/A code)
Time to first fix: Brief power off: 1.5 min.
[1, 3 and 4 satellites]

Solution modes: 1, 3 and 4 satellites

• Environment

 Temperature
 Module
 Ant/Rec

 Operating:
 0° C to 70° C
 -30° C to + 70° C

 Storage:
 -50° C to 125° C
 -55° C to +100° C

 Humidity
 -50° C to 125° C
 -55° C to +100° C

Operating: 5% to 95%\* 95%

\*non-condensing

#### OPTIONS

- · IRIG A decoding
- · NASA 36 decoding
- ACUFIRM GPS firmware\*\*
- · ACUTIME GPS antenna/receiver\*\*
- Antenna cable
- · Extender modules
- · Isolation transformer time code input
- Ovenized crystal oscillator
- 'D' connector (J1) to BNC adapter
- Driver for SUNOS Version 4.x
- Driver for Solaris Version 2.x
- Generic UNIX System V Driver
- VxWorks Real Time OS Driver
- LabVIEW Driver
- \*\* included with bc637VME or bc357VXI-B & C

VME and VXI cards all use a common design. The main difference is that the VXI modules do not include the P2 bus connector. The VXI-C module is functionally identical to the VXI-B module, the only difference being the length of the module.

#### ORDERING INFORMATION

• bc635VME	VME Time & Frequency Processor
• bc637VME	VME GPS Time & Frequency Processor*
• bc350VXI**	VXI Time & Frequency Processor
• bc357VXI**	VXI GPS Time & Frequency Processor*
<ul> <li>VME-VXDRV</li> </ul>	VME/VXI VxWorks Driver
VME-S5DRV	VME/VXI Solaris Driver

VME-S5DRV
 VME/VXI Solaris Driver
 VME-UXDRV
 VME/VXI Generic System

VME-UXDRV VME/VXI Generic System V Unix Driver

BC11736-1000 Ovenized oscillator option (factory installed)
 BC11576-1000 'D' to BNC adapter (provides IRIG in, IRIG out,

1 pps out, event in, periodic out)

• ACUFIRM-VME GPS firmware upgrade

• GPS-ACU/2K Spare antenna

812597-050 Spare RS422 50' (15m) antenna cable\*\*\*
 812597-100 Spare RS422 100' (30m) antenna cable\*\*\*
 812597-200 Spare RS422 200' (60m) antenna cable\*\*\*

<sup>\*\*\*</sup> contact factory regarding longer cabling requirements



VME and VXI cards



#### SYMMETRICOM, INC.

2300 Orchard Parkway San Jose, California 95131-1017 tel: 408.433.0910 fax: 408.428.7896 info@symmetricom.com

www.symmetricom.com

©2004 Symmetricom. Symmetricom and the Symmetricom logo are registered trademarks of Symmetricom, Inc. All other trademarks are the property of their respective companies. All specifications subject to change without notice. DS/VME-VXI/D/0104/PDF

<sup>\*</sup> includes GPS antenna/receiver and 50' (15 m) cable

<sup>\*\*</sup> please specify VME, VXI-B or VXI-C to ensure system compatibility

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

## **Gold-standard solutions**

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

# We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

### Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

