

Agilent E2261A
Quad RS-232 Interface M-Module



In Stock

New From Surplus Stock

Open Web Page

<https://www.artisantg.com/50815-9>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.




Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship
- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



M217 Quad RS-232 Interface M Module

The M232 (formerly Agilent E2261A) provides four (4) completely independent RS-232 terminal interfaces. Each channel has 13 programmable fixed data rates from 75 baud to 38.4 Kbaud and independently programmable handshake modes: RTS/CTS and/or DTR/DSR hardware handshakes, XON/XOFF software handshake, or none. Independent 2KByte input/output buffers for each port.

Specifications:

Serial Port Characteristics:

Baud Rates: 75, 110, 150, 300,
600, 1200, 1800,
2000, 2400, 4800
9600, 19200, 38400

Data Length: 5, 6, 7, 8 bits

Parity: None, Odd, Even,
Always 1, Always 0

Stop Bits: 1, 1.5 or 2

Handshake Pace:

Software: Xon/Xoff

Hardware: DTR/DSR at beginning
to pace, RTS/CTS during
transfer to pace

General Characteristics:

Distance: 50 feet

Isolation: None

I/O Buffer Memory:

2 Kbytes for each channel

Connectors:

44 pin DSUB
(Female)

Temperature:

Operating: 0°C to 55°C

Storage: -40°C to 75°C

Power:

+5V @ 0.1 A

+12V @ 0.01 A

-12V @ 0.01 A

Notice: Due to component heights this module will work in our VXI, Ethernet and LXI carriers. Its use in PCI, cPCI, VME, PXI may require keeping a second card slot open next to the carrier.

M Module Compliance

Complies with ANSI/VITA Std 12-1996 for single-wide M Modules.

Data Transfers 16 bit

Interrupts INTC

Compatible with VXI, VME, PCI,
PXI, CPCI & Ethernet Carriers

Applications

- Terminal interfacing
- Peripheral Control

Ordering Information

Part Number 11029520-0001

Additional Information

User Manuals for C&H carriers and this module can be found on our website at www.chtech.com.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisan^{tg}.com](https://www.artisantg.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisan^{tg}.com | [artisan^{tg}.com](https://www.artisantg.com)

