16-Channel Isolated Digital Output M-Module



In Stock

New From Surplus Stock

Open Web Page

https://www.artisantg.com/50815-12

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

Critical and expedited services

In stock / Ready-to-ship

· We buy your excess, underutilized, and idle equipment

· Full-service, independent repair center

ARTISAN'
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.


Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



(512) 733-2621 • FAX (512) 733-2629 • www.chtech.com



M224 16 Bit Isolated Digital Output M Module

The M224 (formerly Agilent E2291A) provides 16 isolated open-collector digital outputs in four groups of four. Each group of four requires its own external +5V supply. If isolation is not required, a single supply may be used. The module also has the ability to generate an interrupt based upon a programmable delay from the output command; thereby accounting for relay settling time.

Specifications:

Output Characteristics:

Number of channels: 16

 I_{out} (High): 0mA (source) I_{out} (Low): 200 mA (sink)

Output type: Open Collector

Maximum voltage: 36 V

Saturation V_{CE} (DC): <0.5 V

Isolation Voltage (DC): 60 V

Programmable Busy Time:

0.031875 msec to 2089 msec

Default Busy Time: 13 msec

User supplied isolated power:

+5 V: Up to 4, One per group of 4 O/Ps

Other: Source for ext. device

Bit Addressing Options:

Each channel is individually set

Connectors: 44 pin DSUB

(Female)

Temperature:

Operating: 0°C to 55°C

Storage: -40°C to 75°C

Power: +5V @ 0.2 A

Plus external supplies

M Module Compliance

Complies with ANSI/VITA Std 12-1996 for single-wide M Modules.

Data Transfers 16 bit Interrupts INTC

Compatible with VXI, VME, PCI, PXI, CPCI & Ethernet Carriers

Applications

- Control of external relays
- · Isolated digital outputs

Ordering Information

Part Number 11029590-0001

Additional Information

User Manuals for C&H carriers and this module can be found on our website at www.chtech.com.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

