

Gould ACQ-7700
Acquisition Interface



In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/67091-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

ACQ-7700USB Acquisition Interface



Features

- Expandable up to 128 channels
- 6 slots (model PNM-P3P-7002) and 13 slots (model PNM-P3P-7002 XE) to accommodate various signal conditioner configurations
- Small size allows it to be utilized in labs where space is a premium
- Industry standard USB 2.0 communication port
- Family of 7700 series signal conditioners tailored for physiological applications

The ACQ-7700 is designed specifically to interface to the Ponemah Physiology Platform. The modular design allows the user to easily expand the number of available acquisition channels to a maximum of 128, through the installation of 7700 series signal conditioner modules. The 7700 series signal conditioners are designed to take in various physiological signals, such as bio-potentials, blood pressures, pulmonary flows, temperatures and even high-level inputs from other sensors. Its flexible channel count makes it a good choice for interfacing to various signals, when the required number of channels is undetermined, or exceeds 16 channels. The portable, rugged chassis is perfect for interfacing to a laptop, allowing for system mobility.

Technical Data Sheet

Model PNM-P3P-7002, PNM-P3P-7002 XE

ACQ-7700USB Acquisition Interface

SPECIFICATIONS

Input/Output Specifications

Outputs	3TTL level I/O lines
Inputs	1TTL level I/O line
Max # Channels	Modular, up to 128
Max Aggregate Rate* condi	1M samples/second signal ioner dependant

*NOTE: The aggregate sampling rate may be affected by the host computer's performance and the complexity of the real-time analysis being performed.

Physical Specifications (6 slot)

Size	17.15 x 26.65 x 43.18 cm
Weight	5.5 kg (12 lbs)
Power	90-264 Vac, 200 W max

Physical Specifications (13 slot)

Size	22.86 x 44.45 x 36.83 cm
Weight	12.2 kg (27 lbs)
Power	90-264 Vac, 200 W max

General

Operating Temperatures	0 – 40 degrees C
Humidity	20% to 80% Relative Humidity
Safety	CE mark, EN61010-1, UL 3111-1
RFI/EMI	CE mark, EN55011/CISPR11 Class A, FCC Part 15 Class A

ORDERING INFORMATION

Part Number

PNM-P3P-7002
PNM-P3P-7002 XE

Note: above systems require 7700 Signal Conditioners. Please reference signal condition bulletins for more details.

Description

Universal Signal Conditioner
Advanced Basic 32 Signal Conditioner
Advanced Basic 4 Signal Conditioner
Carrier Signal Conditioner
Math Module
Isolated Defibrillation Protected ECG Probe
Digital to Analog Output Module (D/A module)
12 Channel Isolated BIO-POD
Universal XE Signal Conditioner
Digital Communication Module (DCOM)

Bulletin number

446-67
446-69
446-75
446-79
446-80
446-83
446-89
446-96
446-97
446-99

*Specifications are current at publication.
Due to DSI's continuing product improvement program,
specifications may change without notice.*

DSI products are not intended for the purposes of diagnosis of disease or other conditions, or in the cure, mitigation, treatment, or prevention of disease, or used as a life support device. Use of DSI products are solely for the purposes of conducting life science research.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

