

Delta Tau ACC-14M

MACRO OPTO 48-Bit Input / Output Peripheral



\$995.00

In Stock

Qty Available: 2

Used and in Excellent Condition

Open Web Page

<https://www.artisantg.com/83420-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

ACC-14M

Part Number: 4-3741-00-x00x-000xx

ABOUT ACC-14M



ACC-14M is a MACRO-controlled digital I/O peripheral that permits the user 48 digital I/O points whose directions are user-configurable. It can be used with a TURBO PMAC2 Ultralite or UMAC MACRO for either general purpose digital I/O, direct connection to Opto22 style boards, or as high speed latched inputs for servo loop position or velocity feedback. ACC-14M can also run its own compiled PLC program that allows the user to process I/O in real-time using ACC-14M's on-board processor without adding overhead to the Master MACRO Ring Controller.

FEATURES

HARDWARE FEATURES

- Uses MACRO communication
- Has 48 digital I/O points (TTL) configurable as inputs or outputs (OPTO 22 Compatible)
- Latching inputs
- One 24-bit Gray Code to Binary Conversion for one of its connectors
- Output Clock for Binary or Gray code encoder synchronization
- Optional two relay contact outputs
- Optional two 12-bit DAC outputs with 0–10 V voltage range
- Optional two 16-bit ADC inputs with 0–10 V voltage range

SOFTWARE FEATURES

- On-board compiled PLC program for general-purpose, user-configurable use
- Inputs can be easily read in software through the use of pointers
- Outputs can be written to our software through the use of pointers

OPTIONS

ACC-14M Options Chart

ACCESSORY

This Product Requires No Accessories

SOFTWARE

Development Software

PMAC Executive Pro2 Suite

CNC Software

PMAC-NC Pro2 Runtime

Tools and Libraries

Power PMAC Communication library

Tools and Libraries

PMAC HMI Pro2 Designer

CNC Software

PMAC-NC Pro2 Designer

Tools and Libraries

PMAC HMI Pro2 Runtime

Development Software

Power PMAC IDE

MANUALS

ACC-14M - MACRO OPTO 48 bit Input/output

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

