

DiCon PM-1X8-9-13/16-FC/APC

Multi-Channel Switch Plug-In



In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/54436-11>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship


- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

MODULAR GP700

GP700M MODULAR MAINFRAME

DiCon's GP700M Modular Mainframe builds on the enormous flexibility of DiCon's GP700. The GP700M shares the powerful user interface with the traditional GP700. At the same time, it offers the convenience of field installation of fiberoptic switches, variable attenuators, and tunable filters. The instrument can accommodate up to eight modular Plug-Ins and can be configured with non-modular internal components by request. The GP700M Modular Mainframe is available in standard and extended 4U rackmount chassis.



FEATURES

- Easy installation of Plug-In modules
- Up to eight Plug-Ins
- Manual, IEEE 488.2 (GPIB), and RS-232 interfaces

APPLICATIONS

The GP700M Modular Platform is used for applications that require on-site upgradability and configurability and benefit from a robust user-friendly interface.





U.S. patented. Specifications subject to change. Copyright ©2001 DiCon Fiberoptics, Inc. All rights reserved.

MODULAR GP700




ENVIRONMENTAL SPECIFICATIONS

Operating temperature	0°C to +40°C
Storage temperature	-20°C to +60°C
Humidity	40°C/90%RH/5 days

CHASSIS OPTIONS



HOUSING DIMENSIONS



Units: mm
4U standard rackmount chassis shown. 4U extended rackmount chassis differs only in depth (554 mm).

ORDERING INFORMATION

		GP700M /		-	
Number of Plug-In Bays					
4	4 Plug-In bays				
8	8 Plug-In bays				
Housing Type					
4	4U standard rackmount				
4E	4U extended rackmount				
6E	6U extended rackmount (Available Q2 2001)				

Note: Plug-Ins sold separately.

DiCon Fiberoptics, Inc. 1689 Regatta Blvd. Richmond, CA 94804 Tel. (510)528-0427 Fax. (510)525-5776 www.diconfiber.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisan^{tg}.com](https://www.artisantg.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisan^{tg}.com | [artisan^{tg}.com](https://www.artisantg.com)

