

NEAT LMB-200

Ball Screw Driven Stage



© Artisan Technology Group

\$1150.00

In Stock

Qty Available: 5+

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/71932-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



Dover Motion

(800) 227-1066

sales@dovermotion.com

www.dovermotion.com

Features

- : Precision crossed roller ways for high stiffness.
- : Center-driven leadscrew design is only 2.5" high
- : Wide range of travels - from 2" to 12"
- : Precision ball screw
- : Ideal for vertical applications

Description

The [LMB stage](#) takes our standard LM™ stage and upgrades it in several ways. First and most importantly the enhancement adds a precision ground preloaded ball screw inside the same cross section. The added ball screw increases axial stiffness and the preloaded nature allows linear encoders to be used in servo applications.

Duty cycle, life, and speed are also greatly improved with this upgrade. Leads are available in 2 and 5mm standard

sizes. A larger thrust bearing is also used to increase axial load carrying capabilities. These enhancements make this stage ideal to be used in vertical applications.

Optional inline brakes are available to prevent the stage from back driving. The LMB ball screw driven stage has also added pinch cover design, eliminating any safety concerns. Travels are available from 2 to 10 inches.

Specifications

Specifications		LMB-200	LMB-400	LMB-600	LMB-800	LMB-1000	LMB-1200
Travel (inches)		2	4	6	8	10	12
Positional Accuracy (μm) w/linear encoder		8	10	15	20	25	30
Positional Accuracy (μm) open loop		13	15	20	25	30	35
Bidirectional Repeatability (μm)		± 1	± 1	± 1	± 1	± 1	± 1
Flatness & Straightness (μm)		5	6	8	10	12	14
Pitch & Yaw (arc-seconds)		15	20	25	30	35	40
Load Capacity (kg) ¹		75	95	125	145	175	175
Mass (kg)	Moving	0.5	0.7	0.9	1.1	1.4	1.8
	Total	2.5	3.2	3.9	4.6	5.2	5.9

Configuration (Apply to all of the above models)


Ballscrew	Lead (mm)	2*, 5	* 2mm lead not available for LMB-1000 or LMB-1200
Motor	Stepper	400 step/rev.	118 oz-in Torque
		200 step/rev.	135 oz-in Torque
	Servo	2048 Count Encoder	

Option

Encoder	Rotary	2,000 or 4,000 counts/rev.
Encoder	Linear	1 or 0.1 μm/count

¹ Please contact our Applications Engineers for loads exceeding 35 kg.

Dimensions



Model	Travel (T)	Length (L)	A	B	C	D
LMB-200	2.00	5.00	4	-	8	4
LMB-400	4.00	7.00	6	1	12	8
LMB-600	6.00	9.00	8	2	12	8
LMB-800	8.00	11.00	10	3	12	8
LMB-1000	10.00	13.00	12	4	12	8
LMB-1200	12.00	15.00	14	5	12	8

Measurements in inches

"C" refers to number of tapped holes #10-32 in top view

"D" refers to number of counterbores #10 in bottom view

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

