

Extreme Engineering Solutions XPort1001

MPC8250 Processor Multi-Protocol Four-Port Serial PrPMC Module



In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/90068-2>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

XPort1001

XPort1001


Multi-Protocol Four Port Serial PMC (PrPMC) Module Based on the MPC8260 PowerQUICC II™ Series

Features

- MPC8250 At Up To 300MHz with Integrated PCI
- Four SCCs Support a Range of Serial Protocols
- Software Configurable Serial Interface Modes
- Front or Rear I/O
- 8-256MB SDRAM
- 4-16MB Soldered Flash
- 512KB Socketed Flash
- 2 KB SEEPROM
- Two RS-232 SMC Ports
- Optional Back Panel 10/100Mbps Ethernet
- VxWorks Driver and BSP
- Linux LSP

Typical Applications

- LAN/WAN Networking
- Telecommunication Management Network
- Data and Legacy System Communications
- Data Acquisition
- Process Control



XPort1001 is an intelligent or non-intelligent communications controller targeting low cost, yet high performance applications. XPort1001 combines an array of supported serial protocols, a broad range of serial interface standards, and a flexible I/O routing structure to pack maximum flexibility into an industry standard PMC module.

Powered by the MPC8250 (PowerQUICC II™), the XPort1001 features an optional core-disable mode for operation as a low-cost non-intelligent solution. XPort1001 implements four serial communication ports providing a 7-wire signal set including essential data, clocks and RTS, CTS and DCD flow control. Built in HDLC/SDLC, UART, transparent and BISYNC modes, with NRZ, NRZI, FM0, FM1, Manchester and Differential Manchester encoding, and coupled with software configurable support for RS-232, RS-422, RS-423, and RS-485, the XPort1001 provides a plethora of serial options.

As a system designer, XPort1001 will help drive both cost and power consumption out your system. Because the PCI bridge is integrated on chip, XPort1001 draws up to 40% less power, and costs up to 30% less than conventional designs based on other processors.


X-ES

Extreme Engineering Solutions...
...Always Fast

For more information on XPort1001:
Visit: <http://www.xes-inc.com/>
Call: 608-833-1155
E-mail: sales@xes-inc.com

Block Diagram

XPort1001



Processor

- MPC8250 PowerQUICC II
- Embedded PowerPC G2 Core
- 133-300Mhz
- 280 Dhrystones at 200Mhz
- 66MHz 60x Bus
- 16KB Instruction and Data Caches
- 32KB internal SRAM
- Integrated MMU
- Integrated Floating Point Unit
- Core Disabled Mode supported

Memory

- 32-256MB SDRAM
- SDRAM doubles as 0, 2, or 8MB of buffer storage in Core Disabled Mode
- 4-16MB Surface Mount Flash
- 512KB Socketed Flash
- 2 KB Serial EEPROM

Serial Communication Controller

- HDLC, UART, Transparent and BISYNC modes
- DLL supporting NRZ, NRZI, FM0, FM1, Manchester and Differential Manchester
- Independent BRG's for each SCC transmitter and receiver
- Optional External Custom Oscillators

Serial Interface

- Drivers Software Configurable for RS-232, RS-422, RS-423, RS-485
- 10Mbps Max Synchronous
- 4Mbps Max Asynchronous
- DTE/DCE Cable Selectable

Software

- VxWorks BSP
- SCC, SMC and Ethernet Drivers
- Linux LSP

Physical

- PMC Form Factor
- 149mm x 74mm
- 10mm Stacking Height

Power Requirements (Typical)

- +3.3V 0.60A 1.98W
- +5.0V 0.25A 1.25W
- +12.0V 0.012A 0.14W
- -12.0V 0.012A 0.14W

Operating Temperature

- 0 to +55C ambient, at board

Humidity

- 0% to 85%

Storage Temperature

- -40 to +70C



Copyright 2005, X-ES
Extreme Engineering Solutions, Inc.
3225 Deming Way, Suite 120
Middleton, WI 53562

Phone: 608-833-1155
Fax: 608-827-6171
Web: <http://xes-inc.com>
E-mail: sales@xes-inc.com

DS90010015-A

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | [artisanng.com](https://www.artisanng.com)

