#### Force Computers SYS68K CPU-40B/4-01 **Single Board Computer**



In Stock

**Used and in Excellent Condition** 

**Open Web Page** 

https://www.artisantg.com/64151-1

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services
- In stock / Ready-to-ship

- · We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center

ARTISAN'

Your definitive source for quality pre-owned equipment.

**Artisan Technology Group** 

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



## FORCE 680x0 VME/CPU-40

The SYS68K/CPU-40 is a high performance CPU-board based on the 68040 microprocesso and the VMEbus. The boards incorporate a modular I/O subsystem which provides a high degree of flexibility for a wide variety of applications. The CPU-40 can be used with or without an I/O subsystem module (EAGLE module). The CPU-40 is available with 16 or 32 Mbyte shared DRAM options, with byte parity.

The EAGLE modules are installed on the CPU-40 and the CPU-41 via FLXibus (FORCE Local eXpansion interface). FLXi provides a full 32-bit interface between the base board and the EAGLE module I/O subsystem and supports a broad range of powerful I/O options.

#### Features of the SYS68K/CPU-40 and CPU-41

- 68040 microprocessor @ 25.0 MHz
- 16 or 32 Mbyte shared DRAM with byte parity
- Shared SRAM (CPU-41): 4 or 8 Mbyte
- High speed 32-bit DMA controller (FGA-002) for data transfers to/from the shared RAM, the VMEbus and EAGLE modules.
- Two system EPROM sockets.
- One boot EPROM for local booting.
- 128 Kbyte SRAM with on-board battery backup and/or +5V STDBY from VMEbus.
- 128 Kbyte Flash EPROM with on-board programming support.
- FLXi interface for installation of one EAGLE module.
- Four Serial I/O interfaces, configurable as RS232/RS422/RS485, available on the front panel.
- 8-bit parallel interface with 4-bit handshake.
- Real-Time Clock with calendar, on-board battery back-up and/or +5V STDBY from VMEbus.
- Two 24-bit timers with 5-bit prescaler.
- One 8-bit timer.
- Full 32-bit VMEbus master/slave interface.
- Four level VMEbus arbiter.
- VMEbus interrupter (IR 1-7).
- VMEbus interrupt handler (IH 1-7).

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

### **Gold-standard solutions**

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

### Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

