

Bently Nevada 330105-02-12-05-02-05

3300 XL 8 mm Reverse Mount Probe, 3/8-24 UNF Threads



Limited Availability
New From Surplus Stock

Open Web Page

<https://www.artisanng.com/75080-22>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com


- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

PROPRIETARY NOTICE - THE DATA CONTAINED HEREIN IS PROPRIETARY TO BENTLY NEVADA, LLC AND SHALL NOT BE DUPLICATED, USED OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE, OTHER THAN FOR WHICH IT WAS FURNISHED WITHOUT THE EXPRESS PERMISSION OF BENTLY NEVADA, LLC.

REVISION						
ZONE	LTR	DESCRIPTION	BY	DATE	APPD	DATE
	B	INC CCO 34586	NBL	1 MAY 88		
	C	MODIFIED NOTE 9 PER CM 500000033785	R. ROALDSON		R. ROALDSON	



CATALOG NO. 82981-

INCREMENTS OF 0.1 INCH								
EXAMPLE	<table><tr><td>1</td><td>3</td><td>0</td></tr><tr><td>0</td><td>0</td><td>5</td></tr></table>	1	3	0	0	0	5	=13.0 INCH
1	3	0						
0	0	5						
		=.5 INCH						
MIN LENGTH 0.00 INCH								
MAX LENGTH <table><tr><td>2.</td></tr></table>			2.					
2.								

INCREMENTS OF 0.1 INCH							
EXAMPLE	<table><tr><td>1</td><td>3</td><td>0</td></tr><tr><td>0</td><td>0</td><td>5</td></tr></table>	1	3	0	0	0	5
1	3	0					
0	0	5					
	=13.0 INCH						
	=.5 INCH						
MIN LENGTH 0.4 INCH							

INCREMENTS OF 6.0 INCH			
EXAMPLE	0	0	6
	0	2	4
	=6.0 INCH		
	=24.0 INCH		
MAX LENGTH 120.0 INCH			
MIN LENGTH 6.0 INCH			

OPTION	CONNECTOR
00	NO CONN
01	BN-PS
02	API
03	BNC FEMALE

- RECOMMENDED MINIMUM BEND RADIUS .50 FOR 50 OHM CABLE.
- MAX UNTHREADED LENGTH IS 0.4 IN. LESS THAN CASE LENGTH.
- CLEAR SHRINK TUBING OVER CATALOG NUMBER & SERIAL NO.
- TOTAL LENGTH MUST EXCEED CASE LENGTH BY 2.00 MIN.
- INSTALL CONN PER MANUFACTURER'S SPECIFICATION.
- INSTALLATION OF CUST IDENT SLEEVE IS APPLICABLE ONLY WHEN OVERALL LENGTH IS 9.0 INCHES GREATER THAN CASE LENGTH.
- METAL TAG LM ITEM 11 TO BE INSTALLED USING LM ITEM 12 IF TOTAL LENGTH MINUS CASE LENGTH IS LESS THAN 5.00.
- TEMPERATURE RATINGS: TIP ONLY- 425°F, CABLE, COAX- 350°F, CONNECTORS- 182°F.

- VERIFY THAT PROBE RESPONDS TO GAP CHANGES WHILE AT 425°F.
- INSTALL TIP & BACKFILL USING LM ITEMS 9 & 10.
- BACKFILL CASE 2.0^{+4.0}_{-0.0} IN. FROM TIP OR TO END OF CASE AS APPROPRIATE.
- EXCEPT WHERE OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES

NOTES: UNLESS OTHERWISE SPECIFIED

UNLESS OTHERWISE SPECIFIED FINISHED MACHINED SURFACES ANGULAR $\pm$ FRACTIONAL $\pm$ DECIMAL $.xx \pm .02$ $.xxx \pm .010$		BENTLY NEVADA [®] MINDEN - NEVADA U.S.A. LEADER IN PROXIMITY MEASUREMENTS	
DRAWN C.ROSS	DATE 17 JUNE 88	PROBE- 190 SERIES VESPEL TIP	
CHECK		CODE IDENT NO. 20230	SIZE C
ENGRG		DWG NO. 82981	
MFG.		SCALE NONE	SHEET 1 OF 1
APPD			

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | [artisanng.com](https://www.artisanng.com)

