

Microsemi LXMG1626-12-64

12V Dual 6W CCFL Programmable Inverter Module



Limited Availability
Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/75857-21>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

Product Specifications

Panel C

15" Flat Panel Computer with Built-in Alpha & Numeric Keypad



The Panel C features a bright 15" XGA active matrix color TFT LCD, and is powered by a Pentium III 1 GHz processor with up to 512M RAM. Built-in numeric keypad, side keys (PC control and CNC), and function keys (Fx and Alpha) provide human-machine interface. Status LEDs indicate power, run, fault, etc. The unit features a 40-gigabyte hard disk drive for data storage.

Facilitating ease of use are side-access serial ports, parallel port, USB port, external monitor port, I/O link, and an Ethernet port. Removable hard drive and power supply, along with front-accessible USB and CompactFlash, make for simple maintenance. Your choice of clip or stud mount ensures quick and easy installation of the lightweight unit – only 20 pounds in all. PCI and ISA slots in conjunction with a 133 MHz front-side bus permit ample system expansion.

Specifications

- Dimensions 18.85" x 13.85" x 6.40" (WxHxD)
478.8 mm x 351.8 mm x 162.7 mm
- Display 15" 1024x768 256k color AMTFT LCD
- Viewing area 12" x 9" (WxH), 15" diagonal
305 mm x 229 mm
- Touchscreen Resistive
- CPU Pentium III 1 GHz and 133 MHz processor front-side bus
- Memory 128M RAM (expanded to 512M) single DIMM slot
- Video 4M dedicated and shared main memory
- Diagnostics Watchdog timer, temperature and fan status monitoring on the Smbus

- Front LED Fault/HDD, CAPS lock; function (text mode), power, CompactFlash ready
- Hard drive Removable 2.5" hard disk drive 40G (vibration resistant mounting)
- I/O ports Front access: CompactFlash port; two USB (Rev 1.1) ports
Side access: 10BaseT/100BaseTx Ethernet; one USB (Rev 1.1); ECP+EPP parallel port; two RS-232 serial ports; PS/2 keyboard and PS/2 mouse port
One PCI, one PCI/ISA slot
- Expansion slots Vertical side keys: eight keys along each side of display with full number keypad and keyboard functions (Arrow keys, Tab, Esc, Space, Alt, Delete, Ctrl, etc.) PC programming standard
- Function keys Horizontal keys: 28 keys located below display for user programmed functions. Text mode key (lock) for alpha characters. CAPS Lock key for alpha characters caps switch.
- Floppy External FDD connector for operator panel mounting
- CD-ROM External IDE connector for operator panel mounting
- Power supply 120/240 power supply standard auto-sensing; 24 VDC option
- Mounting Clip or stud
- Operating system Windows 95, 98, ME, NT, 2000, XP
- Environmental NEMA 4/4x/12; IP65 (panel mount)
- Certification CE, UL, Class I, Division 2
- Temperature 0° - 50°C (operating)
-20° to 60°C (storage)
- Relative humidity 5 - 80% non-condensing
- Shock and vibration 5 - 500 Hz, 1G; 15G / 11 msec, 3 shocks / 6 axis', ½ sine pulse (operational); 20G / 11 msec, 3 shocks / 6 axis', ½ sine pulse (non-operational); 4.0 KV direct contact electrostatic discharge

Ordering Information

PANELC-<DRAM>-Mount

Specifications may change without notice due to component changes.



GE Fanuc Embedded Systems Information Center — Greenville Location
Computer Dynamics, 7640 Pelham Road, Greenville, SC 29615
Phone: (864) 627-8800 • Fax: (864) 675-0106 • www.gefanuc.com/ipc

© 2004 GE Fanuc Automation Americas, Inc. All rights reserved. Celeron, Intel and Pentium are registered trademarks of Intel Corporation. Windows is a registered trademark of Microsoft Corporation. All other brands or names are the property of their respective holders. Specifications are subject to change without notice. Reproduction or copying of images is prohibited without the express written permission of GE Fanuc Embedded Systems, Inc.0704 GFA-029M

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | [artisanng.com](https://www.artisanng.com)

