

\$195.00

In Stock **Qtv Available: 2 Used and in Excellent Condition**

Open Web Page

https://www.artisantg.com/70679-1

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services
- In stock / Ready-to-ship

- · We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center



Your definitive source for quality pre-owned equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

FIBER OPTIC TEST EQUIPMENT

Optical Average Power Meter Model 8152A/81520A/81521B

- · Two optical inputs
- Optical heads individually calibrated from 450 to 1700nm
- Multi- and single-mode
- 1% typical linearity





HP 8152A



The HP 8152A Optical Average Power Meter and its optical heads provide the accuracy and versatility for absolute and relative power measurements in a fiber optic test environment. Applications range from output power measurement of active optical components, or loss/attenuation measurement of passive optical components, to ratio measurement of power splitters.

Individually calibrated optical heads ensure highly precise measurement results over the entire wavelength range from 450 to 1700nm. After entering the operating wavelength, the appropriate sensitivity correction factor will automatically be taken into account to ensure the correct measurement value is displayed.

The combination of 2 independent optical inputs, the capability to perform ratio measurements, plus an HP 81000AS/BS Optical Power Splitter provides a fast, easy solution to determine the power ratio of an optical splitter or eliminating the instabilities of an optical source.

All functions can be set manually via front panel controls, or programmed via HP-IB for complete remote control. The HP 8152A is therefore an ideal tool for departments such as R&D, production and incoming evaluation.

HP 8152A/81520A/81521B Specifications

	81520A	815218
Wavelength Range	450-1020nm	900-1700nm
Measurement Range	+10 to -100dBm	+3 to -80dBm
Resolution	0.01dB. 0.1pW	0.01dB, 10pW
Absolute Accuracy	±4%	±5%
Linearity (typ.)	±0.05dB (1%)	±0.05dB (1%)
Sensor Element	cooled Si PIN diode	cooled Ge PIN diode
Sensor Diameter	5mm	5mm
Bandwidth (typ.)	700Hz	700Hz

General

HP-IB capability

interface function: SH1,AH1,T6,L4,SR1,RL1,PP0,DC1,DT1,C0

Recalibration period: 1 year Warm-up time: 15 minutes

Environmental
Storage temperature: -40°C to +75°C
Operating temperature: 0°C to +55°C

Humidity: <95% R.H. from 0°C to +40°C Power: 100/120/220/240Vrms, +5%, -10%, 90VA max.,

48-400Hz

Weight: HP 8152A: net 4.3kg (9.5lbs), shipping 8.6kg (19lbs)

HP 81520A/21B: net 0.45kg (1lbs), shipping 1kg (2.2lbs)

Size: HP 8152A: 89mm(H) x 212.3mm(W) x 345mm(D)

(3.5" x 8.36" x 13.6")

HP 81520A/21B: 37.7 diameter, 140mm length (1.5" x 5.5")

Ordering Information

HP 8152A Optical Average Power Meter HP 81520A Optical Head 450 to 1020nm HP 81521B Optical Head 900 to 1700nm

Opt 907: Front handle kit (HP P/N 5061-9688)
Opt 908: Rack flange kit (HP P/N 5061-9672)
Opt 916: Additional operating manual

P/N 5061-9701: Bail handle kit

Note: The HP 8152A cannot be used without an optical head, appropriate connector adapter and optical lens. For additional information, see 'Fiber Optic Test Accessories' on page 307.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

