

Heraeus Cytomat 2 C
Automated Incubator



**Limited Availability
Used and in Excellent Condition**

Open Web Page

<https://www.artisanng.com/66401-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship
- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

The New Cytomat® 2 Automated Incubator

Environmental Expertise for Your Assays

- Extremely uniform environmental conditions for all microplates
- Excellent parameter stability virtually eliminating recovery times
- Minimized evaporation from microplate wells, reducing assay variance



Quality Products – Lifetime Care

 Kendro

The New Cytomat® 2 Automated Incubator – Environmental Expertise for Your Assays

The innovative Cytomat 2 provides extremely stable environmental conditions. Designed to reduce assay variance, Cytomat 2 virtually eliminates recovery times.

Environmental Expertise



- Uniform temperature, humidity and CO₂ conditions for all 42 microplates reduces assay variance.
- Excellent parameter stability during loading and unloading at 37 °C, with less than 0.05 °C and 0.6 % rH fluctuation (see graphs). This extremely stable environment virtually eliminates recovery times.
- The specially designed water reservoir and new stackers with ventilation slots minimize evaporation from the microplate wells, thereby reducing assay variance. In addition the stackers allow autoclaving and dry heat sterilization at 180 °C.

Ease of Integration

- The specially designed Plate Shuttle System™ and access door can handle all standard microplate formats, including deep-well plates. Onsite re-configuration of microplates is possible with a simple to use installation software.
- The transfer station is adjustable on the x/y/z axes, and offers a single point of integration.
- Windows based software allows straight-forward and flexible programming, increasing operational reliability.
- Designed to provide a high level of user flexibility, Cytomat 2 fits into all automated assay systems.

Options


- CO₂-Control (0 to 20 %) with a new CO₂ sensor
- Adjustable transfer station
- Stackers for different microplates
- 100 V and 120 V version
- Further options available on request



Extremely stable conditions

Humidity and temperature stability during a continuous loading and unloading cycle over a 2 hour period. Set values are 94% rH and 37°C, automatic gate opening every 5 minutes for 10 seconds.

Dimensions [mm]



Technical Data

Model	Cytomat 2 C	Cytomat 2 C70
Temperature range	T _A +8 to 50 °C	T _A +8 to 70 °C
Temperature accuracy*		
temporal/spatially	± 0.1 °C / < ± 0.5 °C	± 0.2 °C / < ± 1 °C
Humidity, constant	max. 95 % rH	max. 95 % rH from T _A + 8 to 50 °C
		≥ 85 % rH from + 50 to 70 °C
Microplate capacity	up to 42 standard (SBS) 96- or 384-well microplates up to 18 deep-well plates	
Access time	maximum 20 seconds	
Access mode	random access of individual plates	
Interface	RS 232	
Rated voltage	1/PE AC, 230 V 50/60 Hz	
Rated power	0.7 kW	
Exterior dimensions	W/D/H in mm 491 / 530 / 1119 in inches 19.3 / 20.9 / 44.1	

* in accordance to DIN 58 945

T_A = Ambient Temperature

For Ordering or Technical Information

- Asia Pacific North** Kendro Laboratory Products (H.K.) Limited · Hong Kong · Tel. +852 2711-3910 · Fax +852 2711-3858 · info@kendro.com
- Asia Pacific South** Kendro Laboratory Products · Lane Cove, Sydney · NSW 2066 · Tel. +61 (2) 9936 1540 · Fax +61 (2) 9427 9765 · info@kendro.com.au
- Europe, Middle East, Africa** Kendro Laboratory Products International Sales · Hanau · Germany · Tel. +49 (1805) 536 376 · Fax +49 (1805) 112 114 · info@kendro.de
- Latin America** Kendro Laboratory Products International Sales · Newtown, CT · USA · Tel. +1 (203) 270-2080 · Fax +1 (203) 270-2210 · info@kendro.com
- USA, Canada** Kendro Laboratory Products · Newtown, CT · USA · Tel. +1 (800) 522-7746 · Fax +1 (203) 270-2166 · info@kendro.com
- Internet** <http://www.kendro.com>



Quality Products – Lifetime Care

Heraeus

Registered to ISO 9001. Kendro Laboratory Products meet or exceed stringent quality and product safety standards: CE for the European Union and North America.
©2001 Kendro Laboratory Products. All Rights Reserved

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-tg.com
Artisan Scientific - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-scientific.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

