ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *IKA RET Control Visc C* at our website: ***Click HERE***

Data Sheet
Mixing / Magnetic Stirrers



RET control visc C IKAMAG® safety control

Safety magnetic stirrer with heating, suitable for unsupervised operation.
- Option: 1 sensor for medium temperature (PT 100) or 2 separate temperature sensors for heat transfer fluid and medium (PT 1000) available (automatic identification)
- 2 adjustable safety circuits
- Stirring bar crack detection
- With white coated surface (chemical resistant)
- Setting acc. medium temperature: 0,5 K
- HOT warning display indicating presence of any residual heat when the unit is switched off
- Easy-to-read backlit LCS display
- Display resolution actual medium temperature: 0,1 K (RT to 100 °C); 1 K (from 100 °C upwards)
- Fuzzy control and microprocessor technology guarantee maximum control accuracy
- PC control via RS 232 interface, with optional safety function
- Software labworldsoft® is available to control and document all measuring values via PC
- HOT visual warning for hot heating plate
- 3 modes of operation, e.g. stirring and heating functions can be secured against inadvertent changes of set parameters
- Viscosity trend display
- Enclosed assembly (IP 42) guarantees long service life
- Incl. Protection cover H 99

Accessories: H 16.1 Extension, H 11 Mains cable CH plug, H 11 Mains cable Euro plug, H 11 Mains cable USA plug, H 38 Holding rod, H 11 Mains cable UK plug, PT 100.50 Temperature sensor, PT 100.51 Temperature sensor, PT 1000.50 Temperature sensor, PT 1000.51 Temperature sensor, H 16 V Support rod, R 380 Stand support, H 44 Boss head clamp, H 15 Bath attachment, H 28 Bath attachment, H 29 Oil bath attachment, H 30 Oil bath attachment, IKAFLON® 10 Magnetic stirring bar, IKAFLON® 15 Magnetic stirring bar, IKAFLON® 20 Magnetic stirring bar, IKAFLON® 25 Magnetic stirring bar, IKAFLON® 30 Magnetic stirring bar, IKAFLON® 40 Magnetic

Technical Data	
Number of stirring positions	1
Stirring quantity max. per stirring position (H2O) [l]	20
Stirring quantity max. (H2O) [l]	20
Motor rating input [W]	12
Motor rating output [W]	5
Speed display	LCD
Speed range [1/min]	0 - 1100
Stirring bar length max. [mm]	80
Heat output [W]	600
Heating rate (1 l H2O in H15) [K/min]	6
Heating temperature range [°C]	room temp. - 300
Heat control accuracy [±K]	1
Fixed safety circuit [°C]	370
Adjustable safety circuit min. [°C]	100
Adjustable safety circuit max. [°C]	300
Connection for ext. temperature sensor	PT 100
Control accuracy with sensor [±K]	0.2
Set-up plate material	technical enamel
Set-up plate dimensions [mm]	Ø 135
Dimensions (W x H x D) [mm]	160 x 97 x 280
Weight [kg]	2.8
Permissible ambient temperature [°C]	5 - 40
Permissible relative moisture [%]	80
Protection class according to DIN EN 60529	IP 42
RS 232 interface	yes
Analog output	yes
Voltage [V]	220 - 230 / 115
Frequency [Hz]	50/60
Power input [W]	630
Ident. No.	**3364100**

© IKA® Werke Staufen/Germany 2008 www.ika.net
Subject to technical changes
Artisan Scientific - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisan-scientific.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP