

Insulated Wire SPSH-TPRF141-120-SPSH

Re-Flex Cable Assembly (12 Inch)



\$45.00

In Stock

Qty Available: 1

Used and in Excellent Condition

Open Web Page

<https://www.artisanTG.com/59683-5>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group


(217) 352-9330 | sales@artisanTG.com | artisanTG.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

CABLE ASSEMBLY PART NUMBER BUILDER



CONNECTOR CODES

- B** BNC
- G** GPO*/SMP
- GG** GPPO*/SMPPM
- K** 2.92 mm (K™)
- MB** SMB
- MC** SMC
- N** N
- O** OSP*/BMA
- S** SMA
- SC** SC
- SS** SSMA
- T** TNCA
- V** 1.85 mm (V™)
- Z1** ZMA-90°
- Z2** ZMA-120°
- Z3** ZMA-130/130/100
- Z4** ZMA-110/110/140
- 7** 7 mm
- 3** 3.5 mm
- 2** 2.4 mm

TYPE CODES

- J** Jack
- P** Plug

STYLE CODES

- B** Bulkhead mount
- O** Obtuse angle (135°)
- P2** 2 hole panel mount
- P4** 4 hole panel mount
- R** Right angle
- RW** Right angle w/ wire holes
- RX** Extended right angle
- S** Straight
- SD** Straight direct solder
- SH** Shell type
- SW** Straight w/ wire holes
- RC** Right angle, cube body
- RCD** Right angle, cube body, direct solder
- SQ** Straight "Quik-Flex™"

OPTIONAL PROTECTION

- A** Stainless steel flexible armor
 - N** Black neoprene jacket
 - NX** Nomex
 - LC** Low smoke / zero halogen polyurethane
- † LC – LS/ZH jacket is available for 140-480 series cables, including 03/06/08; not recommended for Re Flex™. LC jacket can be combined with external armor code 'A' for maximum crush resistance in outdoor environments.
- †† Neoprene, 'N' can be applied to all cable types.
- Please consult the factory for custom/ application specific jacket requirements.

DIFFERENTIATOR CODES

- 1** Solid center conductor
- 3** Tuf-Flex™ solid center conductor
- 6** Stranded conductor
- 8** Tuf-Flex™ stranded center conductor

* OSP is a trademark of M/ACOM.

* GPO/GPPO is a trademark of Corning Gilbert


* K/V is a trademark of Anritsu

CABLE ASSEMBLY PART NUMBER BUILDER


With so many variables involved in creating custom wires for multiple purposes, IW has devised an Part Number (P/N) Coding System which we use to readily identify all our microwave cables.

In the first example part number below, the cable assembly is an SMA right angle plug to a 2301 armored cable at 36" long to an SMA straight plug.

STANDARD PART NUMBER




METRIC PART NUMBER



Note: Metric part number format is X.XX meters – 300M defines a 3m length assembly; a 10m assembly part number with the same connectors as shown above is SPR-2301A-1000M-SPS

ADAPTER PART NUMBER



Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisan^{tg}.com](https://www.artisantg.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisan^{tg}.com | [artisan^{tg}.com](https://www.artisantg.com)

