

Pronto4 Vehicle Integration Module



© Artisan Technology Group

In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/55400-17>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

Pronto4™ Robotic Appliqué Kit

SERIES 4



FIGURE 1: A Pronto4™ Agnostic Autonomy System Series 4 Mini with Steering Ring, P/N: KA100-09.

The Pronto4™ Robotic Appliqué Kit converts any existing ground vehicle or surface vessel — either steering-wheel or skid-steer — into an unmanned system in less than four hours. Featuring scalable autonomy, the Pronto4 system allows for vehicle control ranging from tele-operation to semi-autonomy. Whatever the situation, the Pronto4 system provides a superior unmanned vehicle solution at an unrivaled price.

SERIES 4 AT A GLANCE:

- Designed to fit under or behind a seat
- Modular build: 3 module types (computer, services, utility) enable flexible use
- Standardized utility modules enable 3rd party development of actuators, sensors or interfaces
- Submersible; meets MIL-STD-810F
- Multiple systems are stackable with a locking foot mechanism
- Large heat sink surface area (more than 40%)
- Four permanent mounting areas for actuator cables (one on each corner)
- Different configurations available:
 - Pronto4 Series 4 Planar (8 utility bays)
 - Pronto4 Series 4 Mini (4 utility bays)
 - Pronto4 PugV (stand-alone robot with wheel kit)
- Scalable to application

STANDARD COMPONENTS:

- Frame with 4 (Mini) or 8 (Planar) Utility Bays and Carrying Handles
- Computer Module (end cap)
- Services Module (end cap)
- Steering Ring
- 4 Utility Modules
 - Vehicle Integration Module (VIM)
 - Brake Actuator
 - Transmission Actuator
 - Throttle Actuator
- Complete Cable Set
- User's Manual / Quick Start Flip Charts

ISO 9001:2008 REGISTERED
GSA SCHEDULE GS-07F-0226U

© 2007-13 Kairos Autonomi®,
All Rights Reserved. The Pronto4
Robotic Appliqué Kit and
related technologies are patent-pending.

CONTACT INFORMATION:
Kairos Autonomi
498 West 8360 South
Sandy, UT 84070
801.255.2950 (o)
801-907-7870 (f)
contact@kairosautonomi.com
www.kairosautonomi.com

COMPUTING MODULE

- Industry standard computing platform
- 14 port USB Hub; 8 port Ethernet Switch
- Video management
- User interface (VGA, PS/2, Key/Mouse)
- Removable as a pluggable unit, enabling system to be declassified in moments
- All software and operation data removed when module removed

SERVICES MODULE

- Local controller (FORTH-based DSP)
- Mainframe common services include:
 - Local motor control
 - Safety logic (limited)
 - Routing login

UTILITY MODULES

- Wide variety of modules available for enhancing capability or customizing integration
- Communicate with Services Module via serial device bus (SPI, I2C, PWM, USB or RS-485)
- Modules include:
 - 10, 15, 20, 30, 100, 200 and 300 RPM intelligent motor modules
 - Standard PWM RC servo module (1-2 ms)
 - Multi-function module (OBD-II, PoE, Video)
 - J1939 CANbus module
 - Power and distribution modules
 - 3rd party developer modules (kits available)

APPLICATIONS

- Testing & Evaluation Platform
- Target System (training requirements)
- Tactical Operations (R2C, convoy lead)
- Route and Range Clearance
- Mining Operations
- Security (perimeter patrol)




FIGURE 2: A Pronto4 Series 4 Planar, P/N: KA100-08




FIGURE 3: A Pronto4 Series 4 PugV, P/N: KA100-10




FIGURE 4: Pronto4 Series 4 Utility Modules

SPECIFICATIONS / FEATURES

- Weight: 22 lbs. / 10 kg
- Dimensions: 13.25 x 17.25 x 5 in (Planar)
- Power: 9-32 vdc
- 100% conduction cooled
- Mean Time To Replace/Repair: 30 minutes or less
- 8 USB Connections
- 8 Ethernet Connections
- Installs in less than 4 hours

ISO 9001:2008 REGISTERED
GSA SCHEDULE GS-07F-0226U

© 2007-13 Kairos Autonomi®,
All Rights Reserved. The Pronto4
Agnostic Autonomy System and
related technologies are patent-pending.

CONTACT INFORMATION:
Kairos Autonomi
498 West 8360 South
Sandy, UT 84070
801.255.2950 (o)
801-907-7870 (f)
contact@kairosautonomi.com
www.kairosautonomi.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | [artisanng.com](https://www.artisanng.com)

